VOLUME 88 • AUTHOR INDEX

Abbas M *see* Constant I **637**
Abdalla M *see* Forrest JB **227**
Abdel-Wahed MA *see* Mahdy AM **797**
Absalom A *see* Amutike D **326P**
Absalom AR *see* Crowe S **307**
Adachi T *see* Shichino T **866**
Adembri C *see* Ortolani O **644**
Adiseshiah M *see* Brown V **133**
Agrawal K *see* Ravishankar M **728**
Akural EI, Salomäki TE, Tekay AH, Bloigu AH and **Alahuhta SM** Pre-emptive effect of epidural sufentanil in abdominal hysterectomy **803**
Alahuhta SM *see* Akural EI **803**
Alfa J *see* Watts JC **458**
Alkobi M *see* Ziser A **577**
Allaouchiche B, Duflo F, Debon R, Bergeret A and **Chassaard D** Noise in the postanaesthesia care unit **369**
Allen SJ *see* Baker RC **330**
Allman KG *see* Aziz ES **881; Calenda E 613**
Allman KG, Barker LL, Werrett GC, Gouws P, Sturrock GD and **Wilson IH** Comparison of articaine and bupivacaine/lidocaine for peribulbar anaesthesia by inferotemporal injection **676**
Alp NJ *see* Millo JL **882**
Al-Rawi PG *see* Gupta AK **188**
Amembolu J *see* Ng A **326P**
Amutike D, Absalom A, Henderson F and **Scott NB** A double blind dose-finding trial of clonidine in combination with 0.125% bupivacaine by infusion for postoperative epidural analgesia: *abstract* **326P**
Anderson I, Dolling M, Pallett E, Maslowski P, Sharpe P and **Rowbotham D** Is an electronic data collecting device a valid method for assessing postoperative pain in an ambulatory surgery setting?: *abstract* **328P**
Anderson JAM and **Saenko EL** Heparin resistance: *editorial I* **467**
Aoyama K, Yasunaga E, Takenaka I, Kadoya T, Sata T and **Shigematsu A** Positive pressure ventilation during fibreoptic intubation: comparison of the laryngeal mask airway, intubating laryngeal mask and endoscopy mask techniques **246**
Apfel CC, Kranke P, Eberhart LHJ, Roos A and **Roewer N** Comparison of predictive models for postoperative nausea and vomiting **234**
Apfel CC, Kranke P, Katz MH, Goepfert C, Papenfuss T, Rauch S, Heineck R, Greim CA and **Roewer N** Volatile anaesthetics may be the main cause of early but not delayed postoperative vomiting: a randomized controlled trial of factorial design **659**
Arai T *see* Ishii H **412**
Arango-Arango MF, Restrepo-Garcés CE, Olufolabi AJ, Booth JV, Reynolds JD, Hill D, Blair J and **Fee H** Remifentanil and pain relief in labour: *correspondence* **455**
Armando G *see* Boisseau N **785**
Armstrong MA *see* Baker RC **330**
Arthaud M *see* Beaussier M **399**
Arun N *see* Ravishankar M **728**
Asherson AP, Ruttmann TG, Cook TM and **Handel JM** Severe anuric renal failure in a patient with tetanus: *correspondence* **740**
Aspinall R *see* Forrest FC **338**
Atcheson R Complex Regional Pain Syndrome: *book review* **886**
Athanassiou L, Hancock SM and **Mahajan RP** *In vitro* estimation of cerebral critical closing pressure during simulation of intracranial hypertension: *abstract* **317P**
Ausset S, Bouaziz H, Brosseau M, Kinirons B and **Benhamou D** Improvement of information gained from the pre-anaesthetic visit through a quality-assurance programme **280**
Avidan MS *see* Bruemmer-Smith S **489**
Aziz ES and **Rageh M** Deep topical fornix nerve block versus peribulbar block in one-step adjustable-suture horizontal strabismus surgery **129**
Aziz ES, Allman KG, Sturrock GD and **Wilson IH** The use of articaine in peribulbar blocks: *correspondence* **881**

Babin D *see* Hemmerling TM **389**
Backe SK and **Lyons G** Oxygen and elective Caesarean section: *editorial II* **4**
Baillard C, Korinek AM, Galanton V, Le Manach Y, Larmignat P, Cupa M and **Samama CM** Anaphylaxis to rocuronium **600**
Baines P Handbook of Paediatric Intensive Care: *book review* **749**
Bajunaki E *see* Nadeson R **685**
Baker B *see* Gao L **764**
Baker RC, Armstrong MA, Allen SJ and **McBride WT** Role of the kidney in perioperative inflammatory responses: *editorial II* **330**
Baldwin FJ and **Morley AP** Intraoperative pulmonary oedema in a child following systemic absorption of phenylephrine eyedrops **440**
Bandara L *see* Berry J **876**
Banerjee A *see* Dolling M **316P**
Barker I Pediatric Anesthesia: *book review* **887**
Barker LL *see* Allman KG **676**
Barnes N *see* Grayling M **745**
Bartunek R *see* Kannan S **882; Schummer W 144**
Barvais L *see* Szegedi LL **56**
Basaranoglu G and **Erden V** Failed intubation due to posterior fossa haematoma requiring emergency percutaneous tracheostomy: *correspondence* **310**
Baskett PJF *see* Cook TM **527**
Baumert JH, Reyle-Hahn M, Hecker K, Tenbrinck R, Kuhlen R and **Rossaint R** Increased airway resistance during xenon anaesthesia in pigs is attributed to physical properties of the gas **540**
Baxter S *see* Ramachandran K **324P**
Beaulieu P *see* Hemmerling TM **389**
Beaussier M, Mouren S, Souktani R, Arthaud M, Massias L, Vicaut E, Lienhart A and **Coriat P** Role of nitric oxide and cyclooxygenase pathways in the coronary vascular effects of halothane, isoflurane and desflurane in red blood cell-perfused isolated rabbit hearts **399**
Beavis SE *see* Sathishkumar S **456**
Beck DH *see* Döpfmer UR **744**
Beckett GJ *see* Ray DC **285**
Belelli D *see* Weir CJ **324P**
Bellamy MC, Shastri P, Binks R and **Millson CE** Hyperacute liver failure: what threshold for raised intracranial pressure should we accept?: *abstract* **317P**
Benet-Català A *see* Prieto-Álvarez P **516**
Benhamou D *see* Ausset S **280**
Bennett P *see* Evans NR **534**
Benzenberg D *see* Friederich P **864**
Berendes E *see* Weber TP **87**
Bergeret A *see* Allaouchiche B **369**
Berrington JS, Dodds C and **Kumar C** Evaluation of the Greenbaum sub-Tenon's block: a role in anticoagulated patients presenting for cataract surgery: *correspondence* **457**
Berrisford RG *see* Thomas PW **743**
Berry J, Davies G, Lockey D, Kuehne J, Bandara L, Nolan JP and **Clancy M** Airway management in the emergency department: *correspondence* **876**
Bianchi Porro G *see* Forrest JB **227**
Bimmler D *see* Zalunardo MP **595**
Binks R *see* Bellamy MC **317P**
Bishop H *see* McGovern I **314P**
Bissonnette B *see* Paut O **277; Rowney DA 357**
Blair J *see* Arango-Arango MF **455**
Blanc-Jouvan M *see* Clément HJ **809**
Bloigu AH *see* Akural EI **803**
Blömer U *see* Jaeger M **438**
Bock M, Kunz P, Schreckenberger R, Graf BM, Martin E and **Motsch J** Comparison of caudal and intravenous clonidine in the prevention of agitation after sevoflurane in children **790**
Bodenham A and **Galloway S** Imaging in Anaesthesia and Critical Care: *book review* **616**
Bodenham AR Percutaneous Central Venous and Arterial Catheterisation: *Book review* **312**

© The Board of Management and Trustees of the British Journal of Anaesthesia

Boisseau N, Madany M, Staccini P, Armando G, Martin F, Grimaud D and **Raucoules-Aimé M** Comparison of the effects of sevoflurane and propofol on cortical somatosensory evoked potentials **785**
Boisseau N, Rabarijaona H, Grimaud D and **Raucoules-Aimé M** Tapia's syndrome following shoulder surgery **869**
Bonnet F *see* Forrest JB **227**; Mason NP **880**
Booij LHDJ *see* Lerou JGC **24**; Lerou JGC **175**
Booth JV *see* Arango-Arango MF **455**
Booth SA *see* Raymondos K **147**
Borm GF *see* Vermeulen PM **38**
Bouaziz H *see* Ausset S **280**
Boucheseiche S *see* Constant I **637**
Bouchut JC, Claris O, Williams JM, Stoddart PA and **Wolf AR** Do extremely premature infants need mechanical ventilation for inguinal hernia repair?: *correspondence* **301**
Boulieu R *see* Favetta P **653**
Bourgain JL *see* Russell WC **609**
Bowie RA, Dunsire MF and **Clarke SG** Myasthenia gravis unmasked by neuromuscular blockade: *correspondence* **153**
Brandes V *see* Muñoz HR **814**
Brandner B *see* Brown V **133**; Dewachter P **879**
Brennan FM *see* Robertshaw HJ **323P**
Bricker SRW *see* Grimsehl K **612**
Bridge HS *see* Pickering AE **72**
Brimacombe J *see* Lu PP **824**
Brimacombe J, Keller C, Kurian S and **Myles J** Reliability of epigastric auscultation to detect gastric insufflation **127**
Brimacombe J, Richardson C, Keller C and **Donald S** Mechanical closure of the vocal cords with the laryngeal mask airway ProSeal™ **296**
Broisin F *see* Clément HJ **809**
Bromhead HJ and **Walker D** Potentially dangerous labeling of levobupivacaine: *correspondence* **154**
Brook J *see* Brown V **133**
Brookes ZLS, Brown NJ and **Reilly CS** Differential effects of intravenous anaesthetic agents on the response of rat mesenteric microcirculation *in vivo* after haemorrhage **255**
Brooks C, Robinson RL, Halsall PJ and **Hopkins PM** No evidence of mutations in the *CACNA1S* gene in the UK malignant hyperthermia population **587**
Brosseau M *see* Ausset S **280**
Brown NJ *see* Brookes ZLS **255**
Brown R *see* Davis M **508**
Brown V *see* Dewachter P **879**
Brown V, Brandner B, Brook J and **Adiseshiah M** Cardiac arrest after administration of Omnipaque radiocontrast medium during endoluminal repair of abdominal aortic aneurysm **133**
Bruemmer-Smith S, Avidan MS, Harris B, Sudan S, Sherwood R, Desai JB, Sutherland F and **Ponte J** Glucose, insulin and potassium for heart protection during cardiac surgery **489**
Bruln J *see* Jäntti V **739**
Buggy DJ *see* Doherty WL **318P**, Hart EM **321P**
Burke D and **Henderson DJ** Chirality: a blueprint for the future **563**

Cabras G *see* Weir CJ **324P**
Calas-Guerra A *see* Prieto-Álvarez P **516**
Calenda E, Allman KG, Sturrock GD and **Wilson IH** Anaesthesia for cataract surgery: *correspondence* **613**
Camu F *see* Forrest JB **227**
Cantini O *see* Valat P **298**
Carenzi B, Corso RM, Stellino V, Carlino GD, Tonini C, Rossini L and **Gentili G** Airway management in an infant with congenital centrofacial dysgenesia **726**
Carlino GD *see* Carenzi B **726**
Carr AC, Liu W and **Joel SP** Morphine glucuronides inhibit $DiOC_2$ excretion from human lymphocytes: *abstract* **322P**
Caruso L *see* Clément HJ **809**
Carvalho B and **Sanders D** The output of two sevoflurane vaporizers in the presence of helium **711**
Casstles H The Patient's Internet Handbook: *book review* **463**
Castelain MH *see* Szekely B **443**
Chamorro C *see* Raymondos K **147**
Chan KC *see* Lin CP **590**
Chan LC *see* Ng KFJ **475**
Charlton C *see* Vonk Noordegraaf A **151**
Charters P *see* Hawkins M **320P**
Chassard D *see* Allaouchiche B **369**
Choi BIW *see* Lee SY **136**
Choi DMA, Davis L, Williams JM, Stoddart PA and **Wolf AR** Postoperative recovery after inguinal herniotomy in ex-premature infants and the use of caffeine: *correspondence* **301**
Chou YM *see* Lin CP **590**
Chow B *see* Ku ASW **502**
Chung F *see* Higgins PP **582**; Song D **819**
Chung SS *see* Yoo KY **78**
Clancy M *see* Berry J **876**; Nolan J **9**
Claris O *see* Bouchut JC **301**
Clark SG *see* Dunsire MF **316P**
Clarke SG *see* Bowie RA **153**
Claxton BA, Cross MH and **Hopkins PM** No response to trigger agents in a malignant hyperthermia-susceptible patient **870**
Clément HJ, Caruso L, Lopez F, Broisin F, Blanc-Jouvan M, Derré-Brunet E, Thomasson A, Leboucher G and **Viale JP** Epidural analgesia with 0.15% ropivacaine plus sufentanil $0.5\,\mu g\,ml^{-1}$ *versus* 0.10% bupivacaine plus sufentanil $0.5\,\mu g\,ml^{-1}$: a double-blind comparison during labour **809**
Coccia C *see* Della Rocca G **350**
Coetzee JF and **Stewart LJ** Fresh gas flow is not the only determinant of volatile agent consumption: a multi-centre study of low-flow anaesthesia **46**
Conacher ID Lung Volume Reduction Surgery: *book review* **461**
Conacher ID, Meikle D and **O'Brien C** Tracheostomy, lingular tonsillectomy, and sleep-related breathing disorders **724**
Constant I, Abbas M, Boucheseiche S, Laude D and **Murat I** Non-invasive assessment of cardiovascular autonomic activity induced by brief exposure to 50% nitrous oxide in children **637**
Conti A *see* Ortolani O **644**
Cook TM *see* Asherson AP **740**; Williams S **152**
Cook TM, Nolan JP, Verghese C, Strube PJ, Lees M, Millar JM and **Baskett PJF** Randomized crossover comparison of the ProSeal with the classic laryngeal mask airway in unparalysed anaesthetized patients **527**
Coriat P *see* Beaussier M **399**
Corso RM *see* Carenzi B **726**
Cortínez LI *see* Muñoz HR **814**
Costa MG *see* Della Rocca G **350**
Cotton BR *see* Ng A **714**
Counsell D Acute Pain Management: A Practical Guide: *book review* **750**
Crerar-Gilbert A *see* McGovern I **314P**
Cross MH *see* Claxton BA **870**
Crowe S, Absalom AR and **Scott NB** Informed consent for regional anaesthesia: *correspondence* **307**
Culshaw MC *see* Millo JL **882**
Cunningham AJ *see* Leonard IE **1**
Cupa M *see* Baillard C **600**

d'Hollander AA *see* Szegedi LL **56**
Dahl JB *see* Rømsing J **215**
Das S *see* Myabadza M **334**
Davidson AC *see* Ng A **326P**
Davies DWL *see* Pittaway A **304**
Davies G *see* Berry J **876**
Davies L *see* Elliott RA **321P**; Payne K **322P**
Davis L *see* Choi DMA **301**
Davis M, Brown R, Dickson A, Horton H, James D, Laing N, Marston R, Norgate M, Perlman D, Pollock N and **Stowell K** Malignant hyperthermia associated with exercise-induced rhabdomyolysis or congenital abnormalities and a novel *RYR1* mutation in New Zealand and Australian pedigrees **508**
Davison PM *see* McGee AM **139**
De Hert SG, ten Broecke PW, Mertens E, Rodrigus IE and **Stockman BA** Effects of phosphodiesterase III inhibition on length-dependent regulation of myocardial function in coronary surgery patients **779**
de Lange JJ *see* El Azab SR **496**
Debaene B *see* Plaud B **604**
Debon R *see* Allaouchiche B **369**
Degoute CS *see* Favetta P **653**
Degrémont AC *see* Szekely B **443**

Delcambre F *see* Valat P **298**
Della Rocca G, Costa MG, Pompei L, Coccia C and **Pietropaoli P** Continuous and intermittent cardiac output measurement: pulmonary artery catheter *versus* aortic transpulmonary technique **350**
Denny NM Arachnoiditis: the Silent Epidemic: *book review* **749**
Depoix JP *see* Lecharny JB **592**
Derré-Brunet E *see* Clément HJ **809**
Desai JB *see* Bruemmer-Smith S **489**
Desruennes E *see* Russell WC **609**
Dewachter P, Mouton-Faivre C, Ginsberg R, Lippmann M, Brown V and **Brandner B** Anaphylactoid reactions to radio-opaque contrast media: *correspondence* **879**
Di Filippo A *see* Ortolani O **644**
Dick A *see* Thurlow JA **374**
Dickenson AH Gate control Theory of Pain stands the test of time: *editorial I* **755**
Dickson A *see* Davis M **508**
Dimitri WR *see* Imray CHE **303**
Dirksen R *see* Vermeulen PM **38**
DiSegni E *see* Preisman S **716**
Dockery MP and **Drummond GB** Respiratory response to skin incision during anaesthesia with infusions of propofol and alfentanil **649**
Dodds C *see* Berrington JS **457**
Doherty WL *see* Hart EM **321P**
Doherty WL, Hart EM, Pallett EJ and **Buggy DJ** Postoperative wound tissue oxygen tension with epidural or intravenous analgesia: *abstract* **318P**
Doi K *see* Sakura S **141**
Dolin SJ Neuropathic Pain: Pathophysiology and Treatment: *book review* **886**
Dolling M *see* Anderson I **328P**
Dolling M, Ng A, Strupish J, Pallett E, Banerjee A and **Thompson JP** The effect of tetrodotoxin on the cilia beat frequency of human inferior turbinate tissue: *abstract* **316P**
Dollner R *see* Sack FU **841**
Donald S *see* Brimacombe J **296**
Donati F *see* Hemmerling TM **389;** Plaud B **604**
Döpfmer UR, Beck DH, Schenk MR, Kox WJ, Stocker ME and **Montgomery JE** Large dose acetaminophen reconsidered: *correspondence* **744**
Dorrington KL *see* Hills BA **607**
Dresner M *see* Pinder AJ **611**
Drummond G, Venn RM and **Grounds RM** Dexmedetomidine may be effective. but is it safe?: *correspondence* **454**
Drummond GB and **Duncan MK** Abdominal pressure during laparoscopy: effects of fentanyl **384**
Drummond GB *see* Dockery MP **649;** Ray DC **285**
Duflo F *see* Allaouchiche B **369**
Dufresne C *see* Favetta P **653**
Duggan JE *see* Linnett VC **325P**
Duncan MK *see* Drummonod GB **384**
Dunsire M *see* Graham CA **610**
Dunsire MF and **Clark SG** Laryngoscopy conditions in spontaneously breathing patients: an incremental step-up regimen using propofol by target controlled infusion: *abstract* **316P**
Dunsire MF *see* Bowie RA **153**
Durbridge J *see* Youngs P **745**
Durward A *see* Moganasundram S **708**
Dwenger C *see* Raymondos K **147**

Eastwood JR *see* Hancock SM **317P**
Eastwood JR, Warren A, Mahajan RP and **Girling KJ** Effects of plasma from septic patients on the vascular reactivity of omental blood vessels isolated from patients undergoing routine abdominal surgery: *abstract* **319P**
Ebel D, Preckel B, You A, Müllenheim J and **Schlack W** Cardioprotection by sevoflurane against reperfusion injury after cardioplegic arrest in the rat is independent of three types of cardioplegia **828**
Eberhart LHJ *see* Apfel CC **234**
Ebrahim S *see* Forrest JB **227**
Edwards SR, Minto CF and **Mather LE** Concurrent ketamine and alfentanil administration: pharmacokinetic considerations **94**
Eggermont SMM *see* Hofland J **193**
El Azab SR, Rosseel PMJ, de Lange JJ, Groeneveld ABJ, van Strik R, van Wijk EM and **Scheffer GJ** Dexamethasone decreases the pro- to anti-inflammatory cytokine ratio during cardiac surgery **496**
El-Korny KF *see* Mahdy AM **797**
Elliott RA *see* Payne K **322P**
Elliott RA, Payne K, Davies L, Moore JK, Harper NJN and **Moore EW on behalf of the CESA team** A prospective patient-specific cost analysis of alternative anaesthetic regimens in adult day-case surgery: *abstract* **321P**
Ellis SJ *see* Goh WC **719**
Erden V *see* Basaranoglu G **310**
Erdmann W *see* Hofland J **193**
Escolar G *see* Forrest JB **227**
Esler MD *see* Youngs P **745**
Evangelisti A *see* Ortolani O **644**
Evans NR, Gardner SV and **James MFM** ProSeal laryngeal mask protects against aspiration of fluid in the pharynx **584**
Evans NR, Gardner SV, James MFM, King JA, Roux P, Bennett P, Nattrass R, Llewellyn R and **Visu D** The ProSeal laryngeal mask: results of a descriptive trial with experience of 300 cases **534**

Facer E *see* Harrison EA **12**
Fairgrieve R *see* Rowney DA **357**
Faltin D *see* Haller G **597**
Faltin-Traub E *see* Haller G **597**
Favetta P, Degoute CS, Perdrix JP, Dufresne C, Boulieu R and **Guitton J** Propofol metabolites in man following propofol induction and maintenance **653**
Fee H *see* Arango-Arango MF **455**
Fee JPH *see* Pinder AJ **611**
Felbinger TW *see* Reuter DA **124**
Fettes PDW and **Wildsmith JAW** Somebody else's nervous system: *editorial III* **760**
Fiege M *see* Isbister GK **603**
Filshie J Joint and Soft Tissue Injection: *book review* **750**
Fischler M *see* Szekely B **443**
Fletcher GCL, McGeorge P, Flin RH, Glavin RJ and **Maran NJ** The role of non-technical skills in anaesthesia: a review of current literature **418**
Flin RH *see* Fletcher GCL **418**
Ford S *see* Pittaway A **304**
Forrest FC, Taylor MA, Postlethwaite K and **Aspinall R** Use of a high-fidelity simulator to develop testing of the technical performance of novice anaesthetists **338**
Forrest JB, Camu F, Greer IA, Kehlet H, Abdalla M, Bonnet F, Ebrahim S, Escolar G, Jage J, Pocock S, Velo G, Langman MJS, Bianchi Porro G, Samama MM and **Heitlinger E for the POINT Investigators** Ketorolac, diclofenac, and ketoprofen are equally safe for pain relief after major surgery **227**
Fransson SG *see* Håkanson E **291**
Frerk CM *see* Henderson JJ **151**
Friederich P, Benzenberg D and **Urban BW** Bupivacaine inhibits human neuronal Kv3 channels in SH-SY5Y human neuroblastoma cells **864**
Fuentes-Bellido J *see* Prieto-Álvarez P **516**
Fujii Y *see* Uemura A **408**
Fukuda K *see* Ishii H **412;** Shichino T **866**
Furuya H *see* Kakimoto M **836**

Gabbott DA *see* Henderson JJ **151**
Galanton V *see* Baillard C **600**
Galley HF *see* Mahdy AM **797**
Galloway S *see* Bodenham A **616**
Ganter M *see* Hofer CK **283**
Gao L, Ramzan I and **Baker B** Rocuronium plasma concentrations during three phases of liver transplantation: relationship with early post-operative graft liver function **764**
Gardner SV *see* Evans NR **534;** Evans NR **584**
Gaser E *see* Kannan S **882;** Schummer W **144**
Gaunt A *see* Thomas PW **743**
Gavaghan DJ *see* Whiteley JP **771**
Gebhard MM *see* Sack FU **841**
Gentili G *see* Carenzi B **726**
Gilly H *see* Weindlmayr-Goettel M **555**
Ginsberg R *see* Dewachter P **879**

Girling KJ *see* Eastwood JR **319P**
Glavin RJ and **Maran NJ** Development and use of scoring systems for assessment of clinical competence: *editorial I* **329**
Glavin RJ *see* Fletcher GCL **418**
Goepfert C *see* Apfel CC **659**
Goetz AE *see* Reuter DA **124**
Goh WC, Heath PD, Ellis SJ and **Oakley PA** Neurological outcome prediction in a cardiorespiratory arrest survivor **719**
Goodchild CS *see* Nadeson R **679**; Nadeson R **685**
Goodman NW *see* Thurlow JA **374**
Gothard JWW *see* McCorkell S **615**
Gouws P *see* Allman KG **676**
Graf BM *see* Bock M **790**
Graham CA, Wares GM and **Dunsire M** Delayed diagnosis of cardiac tamponade: *correspondence* **610**
Grant I Critical Care Focus. Number 7: Nutritional Issues: *book review* **748**
Gray D Surgery, Sand and Saigon Tea. An Australian Army Doctor in Vietnam: *book review* **464**
Grayling M and **Barnes N** 'Tears at bedtime' and how to avoid them: *correspondence* **745**
Greer IA *see* Forrest JB **227**
Greher M, Retzl G, Niel P, Kamolz L, Marhofer P and **Kapral S** Ultrasonographic assessment of topographic anatomy in volunteers suggests a modification of the infraclavicular vertical brachial plexus block **632**
Greiff JMC *see* Russell WC **609**
Greim CA *see* Apfel CC **659**
Grimaud D *see* Boisseau N **785**; Boisseau N **869**
Grimes SB *see* Murray DM **318P**
Grimsehl K, Levack ID and **Bricker SRW** Combined epidural and general anaesthesia in a patient with a transplanted heart undergoing upper abdominal surgery: *correspondence* **612**
Grob UC *see* Zalunardo MP **595**
Groeneveld ABJ *see* El Azab SR **496**
Grogan H and **Hopkins PM** Heat stroke: implications for critical care and anaesthesia **700**
Große Hartlage MA *see* Weber TP **87**
Grounds M *see* Venn R **65**
Grounds RM *see* Drummond G **454**; Seigne R **742**; Venn RM **669**
Guerrero ME *see* Muñoz HR **814**
Guitton J *see* Favetta P **653**
Gunawardane PO, Murphy PA and **Sleigh JW** Bispectral index monitoring during electroconvulsive therapy under propofol anaesthesia **184**
Gunawardene S *see* Ku ASW **502**
Gupta AK, Al-Rawi PG, Hutchinson PJ and **Kirkpatrick PJ** Effect of hypothermia on brain tissue oxygenation in patients with severe head injury **188**

Habib AS, Parker JL, Maguire AM, Rowbotham DJ and **Thompson JP** Effects of remifentanil and alfentanil on the cardiovascular responses to induction of anaesthesia and tracheal intubation in the elderly **430**
Hagl S *see* Sack FU **841**
Hahn CEW *see* Whiteley JP **771**
Håkanson E, Konstantinov IE, Fransson SG and **Svedjeholm R** Management of life-threatening haemoptysis **291**
Hall JE *see* Harmer M **327P**
Haller G, Faltin-Traub E, Faltin D and **Kern C** Oxygen embolism after hydrogen peroxide irrigation of a vulvar abscess **597**
Halsall PJ *see* Brooks C **587**
Hames K and **Popat M** Airway Management in the Critically Ill: *book review* **462**
Hancock SM *see* Athanassiou L **317P**
Hancock SM, Eastwood JR and **Mahajan RP** Effects of 50% nitrous oxide on estimated cerebral perfusion pressure and zero flow pressure in healthy volunteers: *abstract* **317P**
Handel JM *see* Asherson AP **740**; Williams S **152**
Harmer M, Raj N, Henderson K and **Hall JE** Evaluation of personal, biological and environmental monitoring of paediatric anaesthetists exposed to nitrous oxide: *abstract* **327P**
Harper NJN *see* Elliott RA **321P**; Moore EW **325P**
Harper SJ *see* Jones AG **473**
Harris B *see* Bruemmer-Smith S **489**
Harrison BA *see* Keegan MT **309**
Harrison EA, Mackersie A, McEwan A and **Facer E** The sitting position for neurosurgery in children: a review of 16 years' experience **12**
Hart EM *see* Doherty WL **318P**
Hart EM, Doherty WL, Sharpe P, Lambert DG, Buggy DJ and **Rowbotham DJ** An open-labelled, dose-finding study of the analgesic and side-effects of a cannabis-based medicine extract in a model of postoperative pain: *abstract* **321P**
Hartley H, Stone J, Immer-Bansi A and **Petersen-Felix S** Unnecessary Caesarean section due to silent CTG: *correspondence* **611**
Harvey N *see* Ng A **314P**
Hauke J *see* Helm M **345**
Hawkins M, Hayden K and **Charters P** Microdialysis under hyperbaric conditions: *abstract* **320P**
Hayden K *see* Hawkins M **320P**
Heath PD *see* Goh WC **719**
Hecker K *see* Baumert JH **540**
Heffernan AM, Sharpe P and **Rowbotham DJ** Efficacy of transcutaneous spinal electroanalgesia in patients with chronic neck pain: *abstract* **328P**
Heibel T *see* Preckel B **264**
Heineck R *see* Apfel CC **659**
Heinonen E, Nyman G, Meriläinen P and **Högman M** Effect of different pulses of nitric oxide on venous admixture in the anaesthetized horse **394**
Heitlinger E *see* Forrest JB **227**
Helm M, Hauke J and **Lampl L** A prospective study of the quality of pre-hospital emergency ventilation in patients with severe head injury **345**
Hemmerling TM, Donati F, Beaulieu P and **Babin D** Phonomyography of the corrugator supercilii muscle: signal characteristics, best recording site and comparison with acceleromyography **389**
Henderson DJ *see* Burke D **563**
Henderson F *see* Moore EW **325P**
Henderson JJ, Frerk CM and **Gabbott DA** Remember the straight laryngoscope: *correspondence* **151**
Henderson K *see* Harmer M **327P**
Higgins G *see* Iohom G **520**
Higgins PP, Chung F and **Mezei G** Postoperative sore throat after ambulatory surgery **582**
Hill D *see* Arango-Arango MF **455**
Hill DA *see* Pinder AJ **611**
Hill S Topics in Neuroanaesthesia and Intensive Care: *book review* **460**
Hills BA, Dorrington KL and **Young JD** The alveolar lining: *correspondence* **607**
Hirsch N Seizures—Medical Causes and Management: *book review* **887**
Hofer CK, Ganter M, Tucci M, Klaghofer R and **Zollinger A** How reliable is length-based determination of body weight and tracheal tube size in the paediatric age group? The Broselow tape reconsidered **283**
Hofland J, Tenbrinck R, van IJken MGA, van Eijck CHJ, Eggermont SMM and **Erdmann W** Cardiovascular effects of simultaneous occlusion of the inferior vena cava aorta in patients treated with hypoxic abdominal perfusion for chemotherapy **193**
Högman M *see* Heinonen E **394**
Hood G *see* Ross JJ **327P**
Hopkins PM *see* Brooks C **587**; Claxton BA **870**; Grogan H **700**
Horton H *see* Davis M **508**
Howell S Clinical Anesthesiology: *book review* **884**
Howell SJ *see* Konduru RS **314P**
Howie AF *see* Ray DC **285**
Hu Y *see* Ku ASW **502**
Hughes DA *see* Pinder AJ **611**
Human M *see* Youngs P **745**
Hunter JM A freely accessible BJA archive: *editorial note* **11**
Huotari AM *see* Jäntti V **739**
Hutchinson PJ *see* Gupta AK **188**
Hyllested M, Jones S, Pedersen JL and **Kehlet H** Comparative effect of paracetamol, NSAIDs or their combination in postoperative pain management: a qualitative review **199**

Im WM *see* Yoo KY **78**
Immer-Bansi A *see* Hartley H **611**

Imray CHE, Mead MK, Thacker AJ, Dimitri WR and **Stoneham M** Blood pressure manipulation during loco-regional anaesthetic carotid surgery: *correspondence* **303**
Inoue S *see* Kakimoto M **836**
Inubushi T *see* Ishii H **412**
Iohom G, Walsh M, Higgins G and **Shorten G** Effect of perioperative administration of dexketoprofen on opioid requirements and inflammatory response following elective hip arthroplasty **520**
Irwin MG *see* Ku ASW **502**
Isaac J *see* Raymondos K **147**
Isbister GK, Whyte IM, Wappler F, Fiege M and **Schulte am Esch J** Serotonin toxicity and malignant hyperthermia: role of 5-HT_2 receptors: *correspondence* **603**
Ishii H, Arai T, Segawa H, Morikawa S, Inubushi T and **Fukuda K** Effects of propofol on lactate accumulation and oedema formation in focal cerebral ischaemia in hyperglycaemic rats **412**

Jaeger M, Rickels E, Schmidt A, Samii M and **Blömer U** Lumbar ependymoma presenting with paraplegia following attempted spinal anaesthesia **438**
Jage J *see* Forrest JB **227**
Jago R *see* Verghese C **149**
James D *see* Davis M **508**
James MFM *see* Evans NR **534**; Evans NR **584**
Jäntti V, Mustola S, Huotari AM, Kostinen M and **Bruln J** The importance of looking at the EEG when presenting univariate variables to describe it: *correspondence* **739**
Janvier G *see* Valat P **298**
Jeong CY *see* Yoo KY **78**
Jeong SW *see* Yoo KY **78**
Jessop J The Massachusetts General Hospital of Pain Management: *book review* **885**
Joel SP *see* Carr AC **322P**
Jones AG and **Harper SJ** 'Ventilating in recovery'—the way forward: intensive therapy or postoperative critical care?: *editorial III* **473**
Jones NA and **Jones SD** Management of life-threatening autonomic hyper-reflexia using magnesium sulphate in a patient with a high spinal cord injury in the intensive care unit **434**
Jones RM International Anesthesiology Clinics. Xenon: *Book Review* **155**
Jones S *see* Hyllested M **199**
Jones SD *see* Jones NA **434**
Jones T *see* Lee C **692**
Jougon J *see* Valat P **298**

Kadoya T *see* Aoyama K **246**
Kakimoto M, Kawaguchi M, Sakamoto T, Inoue S, Takahashi M and **Furuya H** Effect of nitrous oxide on myogenic motor evoked potentials during hypothermia in rabbits anaesthetized with ketamine/fentanyl/propofol **836**
Kalkman CJ *see* Vermeulen PM **38**
Kamolz L *see* Greher M **632**
Kannan S and **Sherwood N** Termination of supraventricular tachycardia by propofol **874**
Kannan S, Schummer W, Schummer C, Gaser E and **Bartunek R** Intravascular loss of complete guidewires: *correspondence* **882**
Kapral S *see* Greher M **632**
Karol MD *see* Venn RM **669**
Katz MH *see* Apfel CC **659**
Kawaguchi M *see* Kakimoto M **836**
Keegan MT and **Harrison BA** Pulse oximetry, carbon monoxide and protective ventilatory strategies in severe ARDS: *correspondence* **309**
Kehlet H *see* Forrest JB **227**; Hyllested M **199**
Keller C *see* Brimacombe J **127**; Brimacombe J **296**
Kern C *see* Haller G **597**
Kern H *see* Wissing H **302**
Kerr J *see* Moore EW **325P**
Khambatta HJ *see* Li Y **732**
Khaw KS, Wang CC, Ngan Kee WD, Pang CP and **Rogers MS** Effects of high inspired oxygen fraction during elective Caesarean section under spinal anaesthesia on maternal and fetal oxygenation and lipid peroxidation **18**
Kilger E *see* Reuter DA **124**
Kim JS *see* Lee SY **136**
King JA *see* Evans NR **534**
King JM Top Tips in Critical Care: *book review* **617**
Kinirons B *see* Ausset S **280**
Kirby S *see* Youngs P **745**
Kirkpatrick PJ *see* Gupta AK **188**
Klaghofer R *see* Hofer CK **283**
Knape JTA *see* Vermeulen PM **38**
Knowles A *see* Ross JJ **327P**
Konduru RS and **Howell SJ** An examination of the association between predicted postoperative FEV_1 and cardiac and respiratory complications in patients undergoing pneumonectomy: *abstract* **314P**
Konstantinov IE *see* Håkanson E **291**
Korinek AM *see* Baillard C **600**
Kostinen M *see* Jäntti V **739**
Kövesi T and **Royston D** Is there a bleeding problem with platelet-active drugs?: *editorial I* **159**
Kox WJ *see* Döpfmer UR **744**
Kranke P *see* Apfel CC **234**; Apfel CC **659**
Kress HG *see* Weindlmayr-Goettel M **555**
Ku ASW, Hu Y, Irwin MG, Chow B, Gunawardene S, Tan EE and **Luk KDK** Effect of sevoflurane/nitrous oxide *versus* propofol anaesthesia on somatosensory evoked potential monitoring of the spinal cord during surgery to correct scoliosis **502**
Kuehne J *see* Berry J **876**
Kuhlen R *see* Baumert JH **540**
Kumar C *see* Berrington JS **457**
Kundra P *see* Ravishankar M **728**
Kunz P *see* Bock M **790**
Kurian J *see* Mayne D **609**
Kurian S *see* Brimacombe J **127**
Kutralam NS *see* Ravishankar M **728**
Kwak SH *see* Yoo KY **78**
Kwan ASK *see* Yu SC **379**

Laing N *see* Davis M **508**
Lakshmanan S *see* Rittoo D **882**
Lalwani K and **Sidaras G** Is it safe to artificially ventilate a paralysed patient through a laryngeal mask?: *correspondence* **308**
Lam CCK *see* Ng KFJ **475**
Lambert DG *see* Hart EM **321P**
Lambert JJ *see* Weir CJ **324P**
Lamm P *see* Reuter DA **124**
Lampl L *see* Helm M **345**
Langman MJS *see* Forrest JB **227**
Larmignat P *see* Baillard C **600**
Laude D *see* Constant I **637**
Laurence AS *see* Ramachandran K **324P**
Laxenaire MC *see* Plaud B **604**
Laxton CH *see* Thurlow JA **374**
Le Manach Y *see* Baillard C **600**
Leboucher G *see* Clément HJ **809**
Lecharny JB, Philip I and **Depoix JP** Oesophagotracheal perforation after intraoperative transoesphageal echocardiography in cardiac surgery **592**
Lee C and **Jones T** Molecular conformation-activity relationship of decamethonium congeners **692**
Lee C *see* Naguib M **606**
Lee C Thoughts on the channel size of the motor endplate acetylcholine receptor: *correspondence* **309**
Lee JU *see* Yoo KY **78**
Lee RMP Evidence-Based Pharmacy: *Book Review* **156**
Lee SY, Choi BIW, Kim JS and **Park KS** Paradoxical air embolism during hepatic resection **136**
Lees M *see* Cook TM **527**
Leonard IE and **Cunningham AJ** The sitting position in neurosurgery—not yet obsolete!: *editorial I* **1**
Leong YP, Sleigh JW and **Torrance JM** Extreme value theory applied to postoperative breathing patterns **61**
Lerou JGC and **Booij LHDJ** Model-based administration of inhalation anaesthesia. 3. Validating the system model **24**
Lerou JGC, Verheijen R and **Booij LHDJ** Model-based administration of inhalation anaesthesia. 4. Applying the system model **175**
Leuwer M *see* Schuerholz T **320P**
Levack I Regional Nerve Blocks Textbook and Color Atlas: *book review* **616**

Levack ID *see* Grimsehl K **612**
Li Y, Khambatta HJ, Stone JG and **Mets B** Unsuspected concentric tracheal rings in a 14-year-old with scoliosis **732**
Lienhart A *see* Beaussier M **399**
Lin CP, Chan KC, Chou YM, Wang MJ and **Tsai SK** Transoesophageal echocardiographic monitoring of pulmonary venous obstruction induced by sternotomy closure during infant heart transplantation **590**
Linnett VC and **Duggan JE** Analysis of 16 460 obstetric epidurals performed by consultants and trainees: is there a difference in outcome?: *abstract* **325P**
Lippmann M *see* Dewachter P **879**
Liras J *see* Méndez R **722**
Liu W *see* Carr AC **322P**
Llewellyn R *see* Evans NR **534**
Lockey D *see* Berry J **876**
Lockwood GG *see* Zych Z **454**
Lopez F *see* Clément HJ **809**
Lorenzo-Foz JP *see* Prieto-Álvarez P **516**
Lu PP, Brimacombe J, Yang C and **Shyr M** ProSeal *versus* the Classic laryngeal mask airway for positive pressure ventilation during laparoscopic cholecystectomy **824**
Luk KDK *see* Ku ASW **502**
Lyons G *see* Backe SK **4**; Monte S **734**

Mackersie A *see* Harrison EA **12**
MacKillop A, Vincent JL, Mélot C and **Soliman H** Sedative and analgesic practice in the intensive care unit: *correspondence* **304**
Madany M *see* Boisseau N **785**
Maggini M *see* Ortolani O **644**
Maguire AM *see* Habib AS **430**
Mahajan RP *see* Athanassiou L **317P**; Hancock SM **317P**; Eastwood JR **319P**
Mahdy AM, Galley HF, Abdel-Wahed MA, El-Korny KF, Sheta SA and **Webster NR** Differential modulation of interleukin-6 and interleukin-10 by diclofenac in patients undergoing major surgery **797**
Mak PHK and **Ooi RGB** Submental intubation in a patient with beta-thalassaemia major undergoing elective maxillary and mandibular osteotomies **288**
Malviya S, Voepel-Lewis T, Tait AR, Merkel S, Tremper K and **Naughton N** Depth of sedation in children undergoing computed tomography: validity and reliability of the University of Michigan Sedation Scale (UMSS) **241**
Maran NJ *see* Fletcher GCL **418**; Glavin RJ **329**
Marhofer P *see* Greher M **632**
Markovits R *see* Ziser A **577**
Marks RRD *see* McGovern I **314P**
Marston R *see* Davis M **508**
Martin E *see* Bock M **790**
Martin F *see* Boisseau N **785**
Martínez-Verdera E *see* Prieto-Álvarez P **516**
Marx G *see* Schuerholz T **320P**
Marx T and **Wachter U** Is xenon uptake in animals higher than reported previously?: *correspondence* **452**
Maslowski P *see* Anderson I **328P**
Mason NP, Bonnet F and **Vaughan RS** Pain relief after thoracotomy: *correspondence* **880**
Massias L *see* Beaussier M **399**
Masterson G *see* McCrossan L **6**
Mather LE *see* Edwards SR **94**
Mayne D, Kurian J and **Renvick M** Avoiding airway obstruction: *correspondence* **609**
McBride WT Problems in Anaesthesia Series: Perioperative care of the Cardiopulmonary-compromised Patient: *book review* **615**
McBride WT *see* Baker RC **330**
McCorkell S and **Gothard JWW** International Anesthesiology Clinics: Preoperative Cardiac Evaluation: *book review* **615**
McCrossan L and **Masterson G** Blood transfusion in critical illness: *editorial III* **6**
McEwan A *see* Harrison EA **12**
McGee AM and **Davison PM** Skin necrosis following injection of non-steroidal anti-inflammatory drug **139**
McGeorge P *see* Fletcher GCL **418**
McGovern I, Crerar-Gilbert A, Bishop H, Pickett JA and **Marks RRD** Mathematical modelling of oxygen balance defines theoretical hypoperfusion limits for cardiopulmonary bypass: *abstract* **315P**
Mead MK *see* Imray CHE **303**
Meikle D *see* Conacher ID **724**
Meißner A *see* Weber TP **87**
Mélot C *see* MacKillop A **304**
Méndez R, Pensado A, Tellado M, Somoza I, Liras J, Pais E and **Vela D** Management of massive air leak following intubation injury in a very low birth weight infant **722**
Menon DK *see* Senthuran S **629**
Meriläinen P *see* Heinonen E **394**
Merkel S *see* Malviya S **241**
Mertens E *see* De Hert SG **779**
Mertes PM *see* Plaud B **604**
Mets B *see* Li Y **732**
Mezei G *see* Higgins PP **582**
Millar FA *see* Peterson MK **622**
Millar JM *see* Cook TM **527**
Milligan KR Continuous Peripheral Nerve Block Techniques: *book review* **750**
Millo JL, Culshaw MC, Alp NJ, Salmon JB, Rittoo D, Saha B and **Lakshmann S** Semi-permanent cardiac pacing in severe tetanus: *correspondence* **882**
Mills GH *see* Wilkes AR **451**
Millson CE *see* Bellamy MC **317P**
Minto CF *see* Edwards SR **94**
Miyazaki Y *see* Shichino T **866**
Moganasundram S, Durward A, Tibby SM and **Murdoch IA** High-frequency oscillation in adolescents **708**
Møiniche S *see* Rømsing J **215**
Monnery L *see* Vonk Noordegraaf A **151**
Monte S and **Lyons G** Peripartum management of a patient with Glanzmann's thrombasthenia using Thrombelastograph® **734**
Montgomery JE *see* Döpfmer UR **744**
Moons KGM *see* Vermeulen PM **38**
Moore EW *see* Elliott RA **321P**, Payne K **322P**
Moore EW, Moore JK, Elliott RA, Payne K, Kerr J and **Harper NJN** Propofol, sevoflurane and isoflurane: a comparison of early post-operative recovery in adult day-case anaesthesia: *abstract* **325P**
Moore J Evidence Based Management—a Practical Guide for Health Professionals: *book review* **464**
Moore JK *see* Elliott RA **321P**, Payne K **322P**, Moore EW **325P**
Moraldi E *see* Ortolani O **644**
Morales P *see* Valat P **298**
Morgan-Hughes NJ *see* Wilkes AR **451**
Mori K *see* Shichino T **866**
Morikawa S *see* Ishii H **412**
Morley AP *see* Baldwin FJ **440**
Moss E Brain Edema XI: *book review* **460**
Motsch J *see* Bock M **790**
Mouren S *see* Beaussier M **399**
Mouton-Faivre C *see* Dewachter P **879**
Müllenheim J *see* Ebel D **828**
Mulvey D *see* Raymondos K **147**
Muñoz HR, Guerrero ME, Brandes V and **Cortínez LI** Effect of timing of morphine administration during remifentanil-based anaesthesia on early recovery from anaesthesia and postoperative pain **814**
Murakawa M *see* Shichino T **866**
Murat I *see* Constant I **637**
Murdoch IA *see* Moganasundram S **708**
Murphy PA *see* Gunawardane PO **184**
Murray DM, Rigby-Jones AE, Tonucci D, Grimes SB, Thorne GC, Tooley MA and **Wolf AR** Propofol blood levels, clinical sedation scores and electrophysiological variables in children emerging from propofol infusion anaesthesia: *abstract* **318P**
Murthy BVS Essentials of Anaesthetic Equipment: *book review* **888**
Mustola S *see* Jäntti V **739**
Myles J *see* Brimacombe J **127**

Nadeson R and **Goodchild CS** Antinociceptive role of 5-HT_{1A} receptors in rat spinal cord **679**
Nadeson R, Tucker A, Bajunaki E and **Goodchild CS** Potentiation by ketamine of fentanyl antinociception. 1. An experimental study in rats

showing that ketamine administered by non-spinal routes targets spinal cord antinociceptive systems **685**
Naguib M and **Lee C** Receptive site topology of the acetylcholine receptor: *correspondence* **606**
Nanson J *see* Vonk Noordegraaf A **151**
Nattrass R *see* Evans NR **534**
Naughton N *see* Malviya S **241**
Newman P *see* Seigne R **742**
Newman P *see* Venn R **65**
Ng A *see* Dolling M **316P**
Ng A and **Smith G** Anesthesia: *CD review* **884**
Ng A, Parker J, Toogood L, Cotton BR and **Smith G** Does the opioid-sparing effect of rectal diclofenac following total abdominal hysterectomy benefit the patient? **714**
Ng A, Russell W, Harvey N and **Thompson JP** Comparison of methods of administration of high frequency jet ventilation in a model of laryngotracheal stenosis: *abstract* **314P**
Ng A, Swami A, Smith G, Davidson AC and **Emembolu J** Intraperitoneal and incisional bupivacaine with epinephrine for analgesia following total abdominal hysterectomy: *abstract* **326P**
Ng KFJ, Lam CCK and **Chan LC** *In vivo* effect of haemodilution with saline on coagulation: a randomized controlled trial **475**
Ngan Kee WD *see* Khaw KS **18;** Yu SC **379**
Ni KM *see* Watts JC **458**
Niel P *see* Greher M **632**
Nolan J and **Clancy M** Airway management in the emergency department: *editorial IV* **9**
Nolan J *see* Pickering AE **72**
Nolan JP *see* Berry J **876;** Cook TM **527**
Norgate M *see* Davis M **508**
Norman J The British Journal of Anaesthesia. An informal history of the first 25 years **445**
Northwood D *see* Wilkes AR **451**
Norton B *see* Raymondos K **147**
Nyabadza M and **Das S** Anaesthesia and the Internet: *editorial III* **334**
Nyberg G *see* Söderström S **481**
Nyman G *see* Heinonen E **394**

O'Brien C *see* Conacher ID **724**
O'Rourke MF *see* Söderström S **481**
Oakley PA *see* Goh WC **719**
Olday SJ, Walpole R and **Wang JYY** Radial artery cannulation: topical amethocaine gel *versus* lidocaine infiltration **580**
Olsson GL Acute and Procedure Pain in Infants and Children. Progress in Pain Research and Management. Volume 20: *book review* **751**
Olufolabi AJ *see* Arango-Arango MF **455**
Ooi RGB *see* Mak PHK **288**
Ortolani O, Conti A, Di Filippo A, Adembri C, Moraldi E, Evangelisti A, Maggini M and **Roberts SJ** EEG signal processing in anaesthesia. Use of a neural network technique for monitoring depth of anaesthesia **644**

Pais E *see* Méndez R **722**
Pallett E *see* Dolling M **316P;** Anderson I **328P**
Pallett EJ *see* Doherty WL **318P**
Pang CP *see* Khaw KS **18**
Panning B *see* Raymondos K **147**
Papenfuss T *see* Apfel CC **659**
Pardo C *see* Raymondos K **147**
Park JT *see* Yoo KY **78**
Park KS *see* Lee SY **136**
Parker J *see* Ng A **714**
Parker JL *see* Habib AS **430**
Pasch T *see* Zalunardo MP **595;** Zaugg M **101**
Paterson IG *see* Ross JJ **327P**
Paut O and **Bissonnette B** Effects of temperature and haematocrit on the relationships between blood flow velocity and blood flow in a vessel of fixed diameter **277**
Payne K *see* Elliott RA **321P;** Moore EW **325P**
Payne K, Elliott RA, Davies L, Moore JK and **Moore EW on behalf of the CESA team** A prospective patient-specific cost analysis of propofol and halothane *vs* sevoflurane in paediatric day-case surgery: *abstract* **322P**
Peden CJ Clinical Anaesthesia Viva Book: *book review* **888**
Pedersen JL *see* Hyllested M **199**
Pellerin C *see* Valat P **298**
Pensado A *see* Méndez R **722**
Perdrix JP *see* Favetta P **653**
Perel A *see* Preisman S **716**
Perlman D *see* Davis M **508**
Peters JA *see* Weir CJ **324P**
Petersen-Felix S *see* Hartley H **611**
Peterson MK, Millar FA and **Sheppard DG** Ultrasound-guided nerve blocks: *editorial I* **622**
Philip I *see* Lecharny JB **592**
Picker O, Schindler AW, Schwarte LA, Preckel B, Schlack W, Scheeren TWL and **Thämer V** Xenon increases total body oxygen consumption during isoflurane anaesthesia in dogs **546**
Pickering AE, Bridge HS, Nolan J and **Stoddart PA** Double-blind, placebo-controlled analgesic study of ibuprofen or rofecoxib in combination with paracetamol for tonsillectomy in children **72**
Pickett JA *see* McGovern I **314P**
Pietropaoli P *see* Della Rocca G **350**
Pinder AJ, Dresner M, Hughes DA, Hill DA and **Fee JPH** Intrathecal ropivacaine or bupivacaine with fentanyl for labour: *correspondence* **611**
Pittaway A, Ford S and **Davies DWL** Allergy to chlorhexidine-coated central venous catheters revisited: *correspondence* **304**
Plaud B, Donati F, Debaene B, Laxenaire MC and **Mertes PM** Anaphylaxis during anaesthesia: *correspondence* **604**
Pocock S *see* Forrest JB **227**
Pollock N *see* Davis M **508**
Poloniecki J *see* Venn R **65**
Pompei L *see* Della Rocca G **350**
Ponte J *see* Bruemmer-Smith S **489**
Pontén J *see* Söderström S **481**
Popat M *see* Hames K **462**
Postlethwaite K *see* Forrest FC **338**
Preckel B *see* Ebel D **828;** Picker O **546**
Preckel B, Schlack W, Heibel T and **Rütten H** Xenon produces minimal haemodynamic effects in rabbits with chronically compromised left ventricular function **264**
Preisman S, DiSegni E, Vered Z and **Perel A** Left ventricular preload and function during graded haemorrhage and retransfusion in pigs: analysis of arterial pressure waveform and correlation with echo-cardiography **716**
Priebe HJ International Anesthesiology Clinics: Interoperative Management of the Patient in Non-cardiac Surgery: *book review* **885**
Priebe HJ Textbook of Anaesthesia: *book review* **155**
Prieto-Álvarez P, Calas-Guerra A, Fuentes-Bellido J, Martínez-Verdera E, Benet-Català A and **Lorenzo-Foz JP** Comparison of mepivacaine and lidocaine for intravenous regional anaesthesia: pharmacokinetic study and clinical correlation **516**

Rabarijaona H *see #245#245i***Boisseau N 869**
Rageh M *see* Aziz ES **129**
Raj N *see* Harmer M **327P**
Ramachandran K, Laurence AS and **Baxter S** Is postoperative recovery related to preanaesthetic anxiety?: *abstract* **324P**
Ramzan I *see* Gao L **764**
Rauch S *see* Apfel CC **659**
Raucoules-Aimé M *see* Boisseau N **785,** Boisseau N **869**
Raufhake C *see* Weber TP **87**
Ravishankar M, Kundra P, Agrawal K, Kutralam NS, Arun N and **Vijaykumar OP** Rigid nasendoscope with video camera system for intubation in infants with Pierre-Robin sequence **728**
Raw D Acute Pain Management. A Practical Guide: *book review* **617**
Ray DC, Robbins AG, Howie AF, Beckett GJ and **Drummond GB** Effect of spinal anaesthesia on plasma concentrations of glutathione S-transferase **285**
Raymondos K, Panning B, Isaac J, Dwenger C, Silva JA, Chamorro C, Romera MA, Pardo C, Mulvey D, Booth SA and **Norton B** How to avoid fatal complications after central venous catheterization: *correspondence* **147**
Reidenbach B *see* Sack FU **841**
Reilly CS *see* Brookes ZLS **255**
Renvick M *see* Mayne D **609**
Restrepo-Garcés CE *see* Arango-Arango MF **455**

Retzl G *see* Greher M **632**
Reuter DA, Felbinger TW, Kilger E, Schmidt C, Lamm P and **Goetz AE** Optimizing fluid therapy in mechanically ventilated patients after cardiac surgery by on-line monitoring of left ventricular stroke volume variations. Comparison with aortic systolic pressure variations **124**
Reyle-Hahn M *see* Baumert JH **540**
Reynolds JD *see* Arango-Arango MF **455**
Richardson C *see* Brimacombe J **296**
Richardson P *see* Seigne R **742**; Venn R **65**
Rickels E *see* Jaeger M **438**
Rigby-Jones AE *see* Murray DM **318P**
Rittoo D, Saha B, Lakshmanan S The need for new evaluation methodology for medical devices: *correspondence* **882**
Robbins AG *see* Ray DC **285**
Roberts SJ *see* Ortolani O **644**
Robertshaw HJ and **Brennan FM** Membrane-bound TNFα: a biologically relevant cytokine?: *abstract* **323P**
Robinson RL *see* Brooks C **587**
Rodrigus IE *see* De Hert SG **779**
Roeleveld RJ *see* Vonk Noordegraaf A **151**
Roewer N *see* Apfel CC **234**; Apfel CC **659**
Rogers MS *see* Khaw KS **18**
Rolf N *see* Weber TP **87**
Romera MA *see* Raymondos K **147**
Rømsing J, Møiniche S and **Dahl JB** Rectal and parenteral paracetamol, and paracetamol in combination with NSAIDs, for postoperative analgesia **215**
Roos A *see* Apfel CC **234**
Ross JJ, Knowles A, Paterson IG and **Hood G** A continuous competence-based assessment programme for senior house officer training in anaesthesia: *abstract* **327P**
Rossaint R *see* Baumert JH **540**
Rosseel PMJ *see* El Azab SR **496**
Rossini L *see* Carenzi B **726**
Roux P *see* Evans NR **534**
Rowbotham DJ *see* Habib AS **430**; Hart EM **321P**; Anderson I **328P**; Heffernan AM **328P**
Rowney DA, Fairgrieve R and **Bissonnette B** Cerebrovascular carbon dioxide reactivity in children anaesthetized with sevoflurane **357**
Royston D *see* Kövesi T **159**; Walker CPR **848**
Rozenberg B *see* Ziser A **577**
Rueckoldt H *see* Schuerholz T **320P**
Rundshagen I, Schnabel K and **Schulte am Esch J** Recovery of memory after general anaesthesia: clinical findings and somatosensory evoked responses **362**
Russell W *see* Ng A **314P**
Russell WC, Greiff JMC, Bourgain JL and **Desruennes E** Transtracheal high frequency jet ventilation for endolaryngeal surgery: *correspondence* **609**
Rütten H *see* Preckel B **264**
Ruttmann TG Haemodilution enhances coagulation: *editorial II* **470**
Ruttmann TG *see* Asherson AP **740**

Sack FU, Reidenbach B, Schledt A, Dollner R, Taylor S, Gebhard MM and **Hagl S** Dopexamine attenuates microvascular perfusion injury of the small bowel in pigs induced by extracorporeal circulation **841**
Saenko EL *see* Anderson JAM **467**
Saha B *see* Rittoo D **882**
Saint-Marc T *see* Szekely B **443**
Saito Y *see* Sakura S **141**
Sakamoto T *see* Kakimoto M **836**
Sakura S, Toyota K, Doi K and **Saito Y** Recurrent neurological symptoms in a patient following repeat combined spinal and epidural anaesthesia **141**
Salim M Salim and Mahmood modification of RAE tubes: *correspondence* **459**
Salmon JB *see* Millo JL **882**
Salomäki TE *see* Akural EI **803**
Samama CM *see* Baillard C **600**
Samama MM *see* Forrest JB **227**
Samii M *see* Jaeger M **438**
Sanders D *see* Carvalho B **711**; Thomas PW **743**
Sata T *see* Aoyama K **246**
Sathishkumar S, Young P, Spittle CSN and **Beavis SE** Tracheal cuff pressure—a survey of clinical practice: *correspondence* **456**
Saunders JC Simple height-based method of choosing the correct tracheal tube size in children: *correspondence* **457**
Scarpelli EM The Alveolar surface and the geodesic planes hypothesis: *correspondence* **306**
Schaub MC *see* Zaugg M **101**
Scheeren TWL *see* Picker O **546**
Scheffer GJ *see* El Azab SR **496**
Schenk MR *see* Döpfmer UR **744**
Schindler AW *see* Picker O **546**
Schlack W *see* Ebel D **828**; Picker O **546**; Preckel B **264**
Schledt A *see* Sack FU **841**
Schmidt A *see* Jaeger M **438**
Schmidt C *see* Reuter DA **124**
Schnabel K *see* Rundshagen I **362**
Schreckenberger R *see* Bock M **790**
Schuerholz T, Marx G, Rueckoldt H, Sumpelmann R and **Leuwer M** Impact of different volume replacement solutions on the formation of platelet microvesicles in porcine septic shock: *abstract* **320P**
Schulte am Esch J *see* Isbister GK **603**; Rundshagen I **362**
Schummer C *see* Kannan S **882**; Schummer W **144**
Schummer W *see* Kannan S **882**
Schummer W, Schummer C, Gaser E and **Bartunek R** Loss of the guide wire: mishap or blunder? **144**
Schwarte LA *see* Picker O **546**
Scott NB *see* Crowe S **307**; Moore EW **325P**
Sear JW Assessment of liver function: its application to outcome from liver transplantation: *editorial II* **757**
Sear JW Principles and Practice of Pharmacology for Anaesthetists: *book review* **747**
Sear JW *see* Sewell JC **166**
Segawa H *see* Ishii H **412**; Shichino T **866**
Seigne R, Venn RM, Steele A, Richardson P, Grounds RM and **Newman P** Duration of hospital stay and perioperative morbidity in patients with hip fractures: *correspondence* **742**
Sellgren J *see* Söderström S **481**
Senthuran S, Toff WD, Vuylsteke A, Solesbury PM and **Menon DK** Implanted cardiac pacemakers and defibrillators in anaesthetic practice: *editorial III* **629**
Severn AM *see* Tidmarsh MD **306**
Sewell JC and **Sear JW** Can molecular similarity-activity models for intravenous general anaesthetics help explain their mechanism of action? **166**
Sharpe P *see* Hart EM **321P**; Anderson I **328P**; Heffernan AM **328P**
Shastri P *see* Bellamy MC **317P**
Sheppard DG *see* Peterson MK **622**
Sherman L *see* Thurlow JA **374**
Sherwood N *see* Kannan S **874**
Sherwood R *see* Bruemmer-Smith S **489**
Sheta SA *see* Mahdy AM **797**
Shichino T, Murakawa M, Adachi T, Miyazaki Y, Segawa H, Fukuda K and **Mori K** Effects of xenon on acetylcholine release in the rat cerebral cortex *in vivo* **866**
Shigematsu A *see* Aoyama K **246**
Shorten G *see* Iohom G **520**
Shyr M *see* Lu PP **824**
Sidaras G *see* Lalwani K **308**
Silva JA *see* Raymondos K **147**
Sleigh JW *see* Gunawardane PO **184**; Leong YP **61**
Smith G *see* Ng A **326P**; Ng A **714**; Ng A **884**
Smith MD, Todd JG and **Symonds RP** Analgesia for pelvic brachytherapy **270**
Sneyd JR Essence of Anesthesia Practice: *book review* **748**
Söderström S, Nyberg G, O'Rourke MF, Sellgren J and **Pontén J** Can a clinically useful aortic pressure wave be derived from a radial pressure wave? **481**
Sokolow Y *see* Szegedi LL **56**
Solesbury PM *see* Senthuran S **629**
Soliman H *see* MacKillop A **304**
Somoza I *see* Méndez R **722**
Song D, Chung F, Yogendran S and **Wong J** Evaluation of postural stability after low-dose droperidol in outpatients undergoing gynaecological dilatation and curettage procedure **819**

Souktani R *see* Beaussier M **399**
Spahn DR *see* Zalunardo MP **595**; Zaugg M **101**
Spittle CSN *see* Sathishkumar S **456**
Spoelstra C *see* Williams H **614**
Staccini P *see* Boisseau N **785**
Steele A *see* Seigne R **742**; Venn R **65**
Stellino V *see* Carenzi B **726**
Stevens AJ *see* Wilkes AR **451**
Stewart LJ *see* Coetzee JF **46**
Stocker ME *see* Döpfmer UR **744**
Stocker R *see* Zalunardo MP **595**
Stockman BA *see* De Hert SG **779**
Stoddart PA *see* Bouchut JC **301**; Choi DMA **301**; Pickering AE **72**
Stonach A International Anaesthesiology Clinics. Medical Ethics: *book review* **463**
Stone J *see* Hartley H **611**
Stone JG *see* Li Y **732**
Stoneham M Anaesthetic Procedures—Carotid Endarterectomy: *video review* **461**
Stoneham M *see* İmray CHE **303**
Stowell K *see* Davis M **508**
Strube PJ *see* Cook TM **527**
Strupish J *see* Dolling M **316P**
Sturrock GD *see* Allman KG **676**; Aziz ES **881**; Calenda E **613**
Stypmann J *see* Weber TP **87**
Sudan S *see* Bruemmer-Smith S **489**
Sumpelmann R *see* Schuerholz T **320P**
Sutherland F *see* Bruemmer-Smith S **489**
Svedjeholm R *see* Håkanson E **291**
Swami A *see* Ng A **326P**
Sweeting CJ *see* Thomas PW **743**
Symonds RP *see* Smith MD **270**
Szegedi LL, Barvais L, Sokolow Y, Yernault JC and **d'Hollander AA** Intrinsic positive end-expiratory pressure during one-lung ventilation of patients with pulmonary hyperinflation. Influence of low respiratory rate with unchanged minute volume **56**
Szekely B, Saint-Marc T, Degrémont AC, Castelain MH and **Fischler M** Value of bispectral index monitoring during cardiopulmonary resuscitation **443**

Tait AR *see* Malviya S **241**
Takahashi M *see* Kakimoto M **836**
Takenaka I *see* Aoyama K **246**
Tan EE *see* Ku ASW **502**
Taylor MA *see* Forrest FC **338**
Taylor S *see* Sack FU **841**
Tekay AH *see* Akural EI **803**
Tellado M *see* Méndez R **722**
ten Broecke PW *see* De Hert SG **779**
Tenbrinck R *see* Baumert JH **540**; Hofland J **193**
Thacker AJ *see* Imray CHE **303**
Thämer V *see* Picker O **546**
Thomas PW, Sanders D, Sweeting CJ, Berrisford RG, Walker CPR, Gaunt A, Wall C and **Vaughan RS** In defence of paravertebral blockade: *correspondence* **743**
Thomasson A *see* Clément HJ **809**
Thompson JP *see* Dolling M **316P**; Habib AS **430**; Ng A **314P**
Thorne GC *see* Murray DM **318P**
Thurlow JA, Laxton CH, Dick A, Waterhouse P, Sherman L and **Goodman NW** Remifentanil by patient-controlled analgesia compared with intramuscular meperidine for pain relief in labour **374**
Tibby SM *see* Moganasundram S **708**
Tidmarsh MD and **Severn AM** Outcome measures: *correspondence* **306**
Todd JG *see* Smith MD **270**
Toff WD *see* Senthuran S **629**
Tonini C *see* Carenzi B **726**
Tonucci D *see* Murray DM **318P**
Toogood L *see* Ng A **714**
Tooley MA *see* Murray DM **318P**
Torrance JM *see* Leong YP **61**
Toyooka H *see* Uemura A **408**
Toyota K *see* Sakura S **141**
Tremper K *see* Malviya S **241**
Tsai SK *see* Lin CP **590**
Tucci M *see* Hofer CK **283**
Tucker A *see* Nadeson R **685**

Uemura A, Fujii Y and **Toyooka H** Inhaled olprinone improves contractility of fatigued canine diaphragm **408**
Urban BW *see* Friederich P **864**

Valat P, Pellerin C, Cantini O, Jougon J, Delcambre F, Morales P and **Janvier G** Infected mediastinitis secondary to perforation of superior vena cava by a central venous catheter **298**
Van Aken H *see* Weber TP **87**
van Eijck CHJ *see* Hofland J **193**
van IJken MGA *see* Hofland J **193**
van Strik R *see* El Azab SR **496**
van Wijk EM *see* El Azab SR **496**
Vaughan RS *see* Mason NP **880**; Thomas PW **743**
Vela D *see* Méndez R **722**
Velo G *see* Forrest JB **227**
Venn R, Steele A, Richardson P, Poloniecki J, Grounds M and **Newman P** Randomized controlled trial to investigate influence of the fluid challenge on duration of hospital stay and perioperative morbidity in patients with hip fractures **65**
Venn RM *see* Drummond G **454**; Seigne R **742**
Venn RM, Karol MD and **Grounds RM** Pharmacokinetics of dexmedetomidine infusions for sedation of postoperative patients requiring intensive care **669**
Vered Z *see* Preisman S **716**
Verghese C and **Jago R** Is it safe to artificially ventilate paralysed patients through a laryngeal mask?: *correspondence* **149**
Verghese C *see* Cook TM **527**
Verheijen R *see* Lerou JGC **175**
Vermeulen PM, Kalkman CJ, Dirksen R, Knape JTA, Moons KGM and **Borm GF** Predictive performance of a physiological model for enflurane closed-circuit anaesthesia: effects of continuous cardiac output measurements and age-related solubility data **38**
Viale JP *see* Clément HJ **809**
Vicaut E *see* Beaussier M **399**
Vijaykumar OP *see* Ravishankar M **728**
Vincent JL *see* MacKillop A **304**
Visu D *see* Evans NR **534**
Voepel-Lewis T *see* Malviya S **241**
Vonk Noordegraaf A, Roeleveld RJ, Monnery L, Nanson J and **Charlton C** Primary pulmonary hypertension in pregnancy: *correspondence* **151**
Vuylsteke A *see* Senthuran S **629**

Wachter U *see* Marx T **452**
Walker CPR and **Royston D** Thrombin generation and its inhibition: a review of the scientific basis and mechanism of action of anticoagulant therapies **848**
Walker CPR *see* Thomas PW **743**
Walker D *see* Bromhead HJ **154**
Wall C *see* Thomas PW **743**
Walpole R *see* Olday SJ **580**
Walsh M *see* Iohom G **520**
Wang CC *see* Khaw KS **18**
Wang JYY *see* Olday SJ **580**
Wang MJ *see* Lin CP **590**
Wappler F *see* Isbister GK **603**
Wares GM *see* Graham CA **610**
Warren A *see* Eastwood JR **319P**
Waterhouse P *see* Thurlow JA **374**
Watt JWH Non-invasive Respiratory Support. A Practical Handbook: *book review* **313**
Watts JC, Ni KM and **Alfa J** Mobile operating theatre in a district general hospital: *correspondence* **458**
Weber TP, Raufhake C, Großе Hartlage MA, Rolf N, Stypmann J, Van Aken H, Berendes E and **Meißner A** Naloxone prevents increased atrial natriuretic peptide release during regional myocardial ischaemia and stunning in awake dogs **87**
Webster NR Anesthesiology Review: *book review* **747**
Webster NR *see* Mahdy AM **797**

Weindlmayr-Goettel M, Gilly H and **Kress HG** Does ester hydrolysis change the *in vitro* degradation rate of cisatracurium and atracurium? **555**

Weir CJ, Cabras G, Belelli D, Wildsmith JAW, Peters JA and **Lambert JJ** Investigating the molecular determinants of anaesthetic interaction with $\beta_1\beta_3\beta_2$ subunit containing $GABA_A$ receptors: *abstract* **324P**

Werrett GC *see* Allman KG **676**

White DC *see* Zych Z **454**

White PF Rapacuronium: why did it fail as a replacement for succinylcholine?: *editorial II* **163**

Whitehouse T TEE on CD: An Interactive Resource: *CD review* **156**

Whiteley JP, Gavaghan DJ and **Hahn CEW** Variation of venous admixture, SF_6 shunt, Pa_{O_2}, and the Pa_{O_2}/FI_{O_2} ratio with FI_{O_2} **771**

Whyte IM *see* Isbister GK **603**

Wildsmith JAW *see* Fettes PDW **760**; Weir CJ **324P**

Wilkes AR, Stevens AJ, Morgan-Hughes NJ, Mills GH and **Northwood D** Air flow resistance of wet breathing system filters: *correspondence* **451**

Williams H and **Spoelstra C** Use of remifentanil in fast atrial fibrillation: *correspondence* **614**

Williams JM *see* Choi DMA **301**, Bouchut JC **301**

Williams S, Cook TM and **Handel JM** Use of magnesium to treat tetanus: *correspondence* **152**

Wilson IH *see* Allman KG **676**; Aziz ES **881**; Calenda E **613**

Wissing H and **Kern H** Downward movement of syringe pumps reduces syringe output: *correspondence* **302**

Wolf AR *see* Bouchut JC **301**; Choi DMA **301**; Murray DM **318P**

Wong J *see* Song D **819**

Yamakage M Effects of anaesthetic agents on airway smooth muscles: *editorial II* **625**

Yang C *see* Lu PP **824**

Yasunaga E *see* Aoyama K **246**

Yernault JC *see* Szegedi LL **56**

Yogendran S *see* Song D **819**

Yoo KY, Lee JU, Kwak SH, Im WM, Jeong CY, Chung SS, Yoon MH, Jeong SW and **Park JT** Effects of intracoronary calcium chloride on regional oxygen balance and mechanical function in normal and stunned myocardium in dogs **78**

Yoon MH *see* Yoo KY **78**

You A *see* Ebel D **828**

Young JD Conducting Research in Anaesthesia and Intensive Care Medicine: *Book review* **312**

Young JD *see* Hills BA **607**

Young P *see* Sathishkumar S **456**

Youngs P, Human M, Esler MD, Durbridge J and **Kirby S** Epidural haematoma in a parturient with neurofibromatosis: *correspondence* **745**

Yu SC, Ngan Kee WD and **Kwan ASK** Addition of meperidine to bupivacaine for spinal anaesthesia for Caesarean section **379**

Zalunardo MP, Bimmler D, Grob UC, Stocker R, Pasch T and **Spahn DR** Late oesophageal perforation after intraoperative transoesophageal echocardiography **595**

Zaugg M, Schaub MC, Pasch T and **Spahn DR** Modulation of β-adrenergic receptor subtype activities in perioperative medicine: mechanisms and sites of action **101**

Ziser A, Alkobi M, Markovits R and **Rozenberg B** The postanaesthesia care unit as a temporary admission location due to intensive care and ward overflow **577**

Zollinger A *see* Hofer CK **283**

Zych Z, Lockwood GG and **White DC** Measuring the cost of inhaled anaesthetics: *correspondence* **454**

VOLUME 88 • SUBJECT INDEX

acetylcholine, Effects of xenon on acetylcholine release in the rat cerebral cortex *in vivo* **866**

adults, Comparison of the effects of sevoflurane and propofol on cortical somatosensory evoked potentials **785**

Large dose acetaminophen reconsidered: *correspondence* **744**

age factors, Outcome measures: *correspondence* **306**

age factors, cardiovascular responses, Effects of remifentanil and alfentanil on the cardiovascular responses to induction of anaesthesia and tracheal intubation in the elderly **430**

airway, Effects of anaesthetic agents on airway smooth muscles: *editorial II* **625**

airway, complications, Airway management in an infant with congenital centrofacial dysgenesia **726**

airway, management, Positive pressure ventilation during fibreoptic intubation: comparison of the laryngeal mask airway, intubating laryngeal mask and endoscopy mask techniques **246**

airway, obstruction, Avoiding airway obstruction: *correspondence* **609**

airway, technique, Mechanical closure of the vocal cords with the laryngeal mask airway ProSeal™ **296**

allergy, Allergy to chlorhexidine-coated central venous catheters revisited: *correspondence* **304**

Anaphylaxis during anaesthesia: *correspondence* **604**

Anaphylaxis to rocuronium **600**

anaesthesia, Continuous and intermittent cardiac output measurement: pulmonary artery catheter *versus* aortic transpulmonary technique **350**

Heat stroke: implications for critical care and anaesthesia **700**

Improvement of information gained from the pre-anaesthetic visit through a quality-assurance programme **280**

Recovery of memory after general anaesthesia: clinical findings and somatosensory evoked responses **362**

Submental intubation in a patient with beta-thalassaemia major undergoing elective maxillary and mandibular osteotomies **288**

The role of non-technical skills in anaesthesia: a review of current literature **418**

anaesthesia, audit, Fresh gas flow is not the only determinant of volatile agent consumption: a multi-centre study of low-flow anaesthesia **46**

Improvement of information gained from the pre-anaesthetic visit through a quality-assurance programme **280**

Measuring the cost of inhaled anaesthetics: *correspondence* **454**

Rectal and parenteral paracetamol, and paracetamol in combination with NSAIDs, for postoperative analgesia **215**

anaesthesia, audit, costs, A prospective patient-specific cost analysis of alternative anaesthetic regimens in adult day-case surgery: *abstract* **321P**

A prospective patient-specific cost analysis of propofol and halothane *vs* sevoflurane in paediatric day-case surgery: *abstract* **322P**

anaesthesia, depth, Bispectral index monitoring during electroconvulsive therapy under propofol anaesthesia **184**

Depth of sedation in children undergoing computed tomography: validity and reliability of the University of Michigan Sedation Scale (UMSS) **241**

EEG signal processing in anaesthesia. Use of a neural network technique for monitoring depth of anaesthesia **644**

The importance of looking at the EEG when presenting univariate variables to describe it: *correspondence* **739**

anaesthesia, dosage, How reliable is length-based determination of body weight and tracheal tube size in the paediatric age group? The Broselow tape reconsidered **283**

anaesthesia, equine, Effect of different pulses of nitric oxide on venous admixture in the anaesthetized horse **394**

anaesthesia, general, Comparison of predictive models for postoperative nausea and vomiting **234**

No response to trigger agents in a malignant hyperthermia-susceptible patient **870**

Respiratory response to skin incision during anaesthesia with infusions of propofol and alfentanil **649**

Unnecessary Caesarean section due to silent CTG: *correspondence* **611**

anaesthesia, geriatric, Outcome measures: *correspondence* **306**

anaesthesia, obstetric, Addition of meperidine to bupivacaine for spinal anaesthesia for Caesarean section **379**

Effects of high inspired oxygen fraction during elective Caesarean section under spinal anaesthesia on maternal and fetal oxygenation and lipid peroxidation **18**

Epidural analgesia with 0.15% ropivacaine plus sufentanil 0.5 μg ml^{-1} *versus* 0.10% bupivacaine plus sufentanil 0.5 μg ml^{-1}: a double-blind comparison during labour **809**

Epidural haematoma in a parturient with neurofibromatosis: *correspondence* **745**

Oxygen and elective Caesarean section: *editorial II* **4**

Peripartum management of a patient with Glanzmann's thrombasthenia using Thrombelastograph® **734**

Primary pulmonary hypertension in pregnancy: *correspondence* **151**

anaesthesia, ophthalmological, Evaluation of the Greenbaum sub-Tenon's block: a role in anticoagulated patients presenting for cataract surgery: *correspondence* **457**

anaesthesia, paediatric, Cerebrovascular carbon dioxide reactivity in children anaesthetized with sevoflurane **357**

Comparison of caudal and intravenous clonidine in the prevention of agitation after sevoflurane in children **790**

Depth of sedation in children undergoing computed tomography: validity and reliability of the University of Michigan Sedation Scale (UMSS) **241**

Do ex-premature infants need mechanical ventilation for inguinal hernia repair?: *correspondence* **301**

Effects of temperature and haematocrit on the relationships between blood flow velocity and blood flow in a vessel of fixed diameter **277**

How reliable is length-based determination of body weight and tracheal tube size in the paediatric age group? The Broselow tape reconsidered **283**

Intraoperative pulmonary oedema in a child following systemic absorption of phenylephrine eyedrops **440**

Management of massive air leak following intubation injury in a very low birth weight infant **722**

Non-invasive assessment of cardiovascular autonomic activity induced by brief exposure to 50% nitrous oxide in children **637**

Postoperative recovery after inguinal herniotomy in ex-premature infants and the use of caffeine: *correspondence* **301**

Simple height-based method of choosing the correct tracheal tube size in children: *correspondence* **457**

anaesthesia, risk factors, Volatile anaesthetics may be the main cause of early but not delayed postoperative vomiting: a randomized controlled trial of factorial design **659**

anaesthetic techniques, brachial plexus block, Ultrasonographic assessment of topographic anatomy in volunteers suggests a modification of the infraclavicular vertical brachial plexus block **632**

Ultrasound-guided nerve blocks: *editorial I* **622**

anaesthetic techniques, combined, Combined epidural and general anaesthesia in a patient with a transplanted heart undergoing upper abdominal surgery: *correspondence* **612**

anaesthetic techniques, combined subarachnoid and epidural, Intrathecal ropivacaine or bupivacaine with fentanyl for labour: *correspondence* **611**

Recurrent neurological symptoms in a patient following repeat combined spinal and epidural anaesthesia **141**

anaesthetic techniques, epidural, Analysis of 16 460 obstetric epidurals performed by consultants and trainees: is there a difference in outcome?: *abstract* **325P**

Epidural analgesia with 0.15% ropivacaine plus sufentanil 0.5 μg ml^{-1} *versus* 0.10% bupivacaine plus sufentanil 0.5 μg ml^{-1}: a double-blind comparison during labour **809**

Epidural haematoma in a parturient with neurofibromatosis: *correspondence* **745**

Informed consent for regional anaesthesia: *correspondence* **307**

anaesthetic techniques, extubation, Dexmedetomidine may be effective, but is it safe?: *correspondence* **454**

© The Board of Management and Trustees of the British Journal of Anaesthesia

anaesthetic techniques, fibreoptic bronchoscopy, Positive pressure ventilation during fibreoptic intubation: comparison of the laryngeal mask airway, intubating laryngeal mask and endoscopy mask techniques **246**

anaesthetic techniques, hypotensive, Can a clinically useful aortic pressure wave be derived from a radial pressure wave? **481**

anaesthetic techniques, i.v. regional, Comparison of mepivacaine and lidocaine for intravenous regional anaesthesia: pharmacokinetic study and clinical correlation **516**

anaesthetic techniques, infraclavicular vertical brachial plexus block, Ultrasound-guided nerve blocks: *editorial I* **622**

Ultrasonographic assessment of topographic anatomy in volunteers suggests a modification of the infraclavicular vertical brachial plexus block **632**

anaesthetic techniques, inhalation, Increased airway resistance during xenon anaesthesia in pigs is attributed to physical properties of the gas **540**

Is xenon uptake in animals higher than reported previously?: *correspondence* **452**

Model-based administration of inhalation anaesthesia. 3. Validating the system model **24**

Model-based administration of inhalation anaesthesia. 4. Applying the system model **175**

Xenon increases total body oxygen consumption during isoflurane anaesthesia in dogs **546**

anaesthetic techniques, laryngoscopy, direct, Laryngoscopy conditions in spontaneously breathing patients: an incremental step-up regimen using propofol by target controlled infusion: *abstract* **316P**

anaesthetic techniques, rectal, Large dose acetaminophen reconsidered: *correspondence* **744**

anaesthetic techniques, regional, Evaluation of the Greenbaum sub-Tenon's block: a role in anticoagulated patients presenting for cataract surgery: *correspondence* **457**

Ultrasonographic assessment of topographic anatomy in volunteers suggests a modification of the infraclavicular vertical brachial plexus block **632**

Ultrasound-guided nerve blocks: *editorial I* **622**

anaesthetic techniques, regional, cervical plexus, Blood pressure manipulation during loco-regional anaesthetic carotid surgery: *correspondence* **303**

anaesthetic techniques, regional, peribular, The use of articaine in peribulbar blocks: *correspondence* **881**

Anaesthesia for cataract surgery: *correspondence* **613**

Comparison of articaine and bupivacaine/lidocaine for peribulbar anaesthesia by inferotemporal injection **676**

anaesthetic techniques, regional, topical, Deep topical fornix nerve block *versus* peribulbar block in one-step adjustable-suture horizontal strabismus surgery **129**

anaesthetic techniques, subarachnoid, Do ex-premature infants need mechanical ventilation for inguinal hernia repair?: *correspondence* **301**

Effect of spinal anaesthesia on plasma concentrations of glutathione S-transferase **285**

Effects of high inspired oxygen fraction during elective Caesarean section under spinal anaesthesia on maternal and fetal oxygenation and lipid peroxidation **18**

Lumbar ependymoma presenting with paraplegia following attempted spinal anaesthesia **438**

Oxygen and elective Caesarean section: *editorial II* **4**

Postoperative recovery after inguinal herniotomy in ex-premature infants and the use of caffeine: *correspondence* **301**

Somebody else's nervous system: *editorial III* **760**

anaesthetics gases, occupational exposure, Evaluation of personal, biological and environmental monitoring of paediatric anaesthetists exposed to nitrous oxide: *abstract* **327P**

anaesthetics gases, nitrous oxide, Effect of nitrous oxide on myogenic motor evoked potentials during hypothermia in rabbits anaesthetized with ketamine/fentanyl/propofol **836**

Evaluation of personal, biological and environmental monitoring of paediatric anaesthetists exposed to nitrous oxide: *abstract* **327P**

Non-invasive assessment of cardiovascular autonomic activity induced by brief exposure to 50% nitrous oxide in children **637**

anaesthetics gases, xenon, Effects of xenon on acetylcholine release in the rat cerebral cortex *in vivo* **866**

Increased airway resistance during xenon anaesthesia in pigs is attributed to physical properties of the gas **540**

Is xenon uptake in animals higher than reported previously?: *correspondence* **452**

Xenon increases total body oxygen consumption during isoflurane anaesthesia in dogs **546**

Xenon produces minimal haemodynamic effects in rabbits with chronically compromised left ventricular function **264**

anaesthetics i.v., Can molecular similarity-activity models for intravenous general anaesthetics help explain their mechanism of action? **166**

Differential effects of intravenous anaesthetic agents on the response of rat mesenteric microcirculation *in vivo* after haemorrhage **255**

anaesthetics i.v., etomidate, Investigating the molecular determinants of anaesthetic interaction with $\beta_1\beta_3\beta_2$ subunit containing $GABA_A$ receptors: *abstract* **324P**

anaesthetics i.v., ketamine, Concurrent ketamine and alfentanil administration: pharmacokinetic considerations, **94**

Potentiation by ketamine of fentanyl antinociception. 1. An experimental study in rats showing that ketamine administered by non-spinal routes targets spinal cord antinociceptive systems **685**

anaesthetics i.v., propofol, Comparison of the effects of sevoflurane and propofol on cortical somatosensory evoked potentials **785**

EEG signal processing in anaesthesia. Use of a neural network technique for monitoring depth of anaesthesia **644**

Effect of sevoflurane/nitrous oxide *versus* propofol anaesthesia on somatosensory evoked potential monitoring of the spinal cord during surgery to correct scoliosis **502**

Effects of propofol on lactate accumulation and oedema formation in focal cerebral ischaemia in hyperglycaemic rats **412**

Laryngoscopy conditions in spontaneously breathing patients: an incremental step-up regimen using propofol by target controlled infusion: *abstract* **316P**

Propofol blood levels, clinical sedation scores and electrophysiological variables in children emerging from propofol infusion anaesthesia: *abstract* **318P**

Propofol metabolites in man following propofol induction and maintenance **653**

Respiratory response to skin incision during anaesthesia with infusions of propofol and alfentanil **649**

Termination of supraventricular tachycardia by propofol **874**

anaesthetics local, Analgesia for pelvic brachytherapy **270**

anaesthetics local, amethocaine, Radial artery cannulation: topical amethocaine gel *versus* lidocaine infiltration **580**

Recurrent neurological symptoms in a patient following repeat combined spinal and epidural anaesthesia **141**

anaesthetics local, articaine, Anaesthesia for cataract surgery: *correspondence* **613**

Comparison of articaine and bupivacaine/lidocaine for peribulbar anaesthesia by inferotemporal injection **676**

The use of articaine in peribulbar blocks: *correspondence* **881**

anaesthetics local, bupivacaine, Bupivacaine inhibits human neuronal Kv3 channels in SH-SY5Y human neuroblastoma cells **864**

Epidural analgesia with 0.15% ropivacaine plus sufentanil $0.5\,\mu g\,ml^{-1}$ *versus* 0.10% bupivacaine plus sufentanil $0.5\,\mu g\,ml^{-1}$: a double-blind comparison during labour **809**

Intraperitoneal and incisional bupivacaine with epinephrine for analgesia following total abdominal hysterectomy: *abstract* **326P**

Intrathecal ropivacaine or bupivacaine with fentanyl for labour: *correspondence* **611**

anaesthetics local, hyperbaric, Recurrent neurological symptoms in a patient following repeat combined spinal and epidural anaesthesia **141**

anaesthetics local, levobupivacaine, Potentially dangerous labelling of levobupivacaine: *correspondence* **154**

anaesthetics local, lidocaine, Comparison of mepivacaine and lidocaine for intravenous regional anaesthesia: pharmacokinetic study and clinical correlation **516**

Evaluation of the Greenbaum sub-Tenon's block: a role in anticoagulated patients presenting for cataract surgery: *correspondence* **457**

Radial artery cannulation: topical amethocaine gel *versus* lidocaine infiltration **580**

anaesthetics local, mepivacaine, Comparison of mepivacaine and lidocaine for intravenous regional anaesthesia: pharmacokinetic study and clinical correlation **516**
Recurrent neurological symptoms in a patient following repeat combined spinal and epidural anaesthesia **141**
anaesthetics local, ropivacaine, Epidural analgesia with 0.15% ropivacaine plus sufentanil 0.5 μg ml^{-1} *versus* 0.10% bupivacaine plus sufentanil 0.5 μg ml^{-1}: a double-blind comparison during labour **809**
Intrathecal ropivacaine or bupivacaine with fentanyl for labour: *correspondence* **611**
anaesthetics local, tetrodotoxin, The effect of tetrodotoxin on the cilia beat frequency of human inferior turbinate tissue: *abstract* **316P**
anaesthetics volatile, Fresh gas flow is not the only determinant of volatile agent consumption: a multi-centre study of low-flow anaesthesia **46**
Volatile anaesthetics may be the main cause of early but not delayed postoperative vomiting: a randomized controlled trial of factorial design **659**
anaesthetics volatile, desflurane, Measuring the cost of inhaled anaesthetics: *correspondence* **454**
Model-based administration of inhalation anaesthesia. 3. Validating the system model **24**
Role of nitric oxide and cyclooxygenase pathways in the coronary vascular effects of halothane, isoflurane and desflurane in red blood cell-perfused isolated rabbit hearts **399**
anaesthetics volatile, enflurane, Predictive performance of a physiological model for enflurane closed-circuit anaesthesia: effects of continuous cardiac output measurements and age-related solubility data **38**
anaesthetics volatile, halothane, Role of nitric oxide and cyclooxygenase pathways in the coronary vascular effects of halothane, isoflurane and desflurane in red blood cell-perfused isolated rabbit hearts **399**
anaesthetics volatile, isoflurane, Measuring the cost of inhaled anaesthetics: *correspondence* **454**
Model-based administration of inhalation anaesthesia. 4. Applying the system model **175**
Role of nitric oxide and cyclooxygenase pathways in the coronary vascular effects of halothane, isoflurane and desflurane in red blood cell-perfused isolated rabbit hearts **399**
anaesthetics volatile, sevoflurane, Cardioprotection by sevoflurane against reperfusion injury after cardioplegic arrest in the rat is independent of three types of cardioplegia **828**
Cerebrovascular carbon dioxide reactivity in children anaesthetized with sevoflurane **357**
Comparison of caudal and intravenous clonidine in the prevention of agitation after sevoflurane in children **790**
Comparison of the effects of sevoflurane and propofol on cortical somatosensory evoked potentials **785**
Do ex-premature infants need mechanical ventilation for inguinal hernia repair?: *correspondence* **301**
Effect of sevoflurane/nitrous oxide *versus* propofol anaesthesia on somatosensory evoked potential monitoring of the spinal cord during surgery to correct scoliosis **502**
Measuring the cost of inhaled anaesthetics: *correspondence* **454**
Postoperative recovery after inguinal herniotomy in ex-premature infants and the use of caffeine: *correspondence* **301**
The output of two sevoflurane vaporizers in the presence of helium **711**
anaesthetist, error, The role of non-technical skills in anaesthesia: a review of current literature **418**
anaesthetist, non-technical skills, The role of non-technical skills in anaesthesia: a review of current literature **418**
anaesthetist, performance, Development and use of scoring systems for assessment of clinical competence: *editorial I* **329**
Use of a high-fidelity simulator to develop testing of the technical performance of novice anaesthetists **338**
analgesia, An open-labelled, dose-finding study of the analgesic and side-effects of a cannabis-based medicine extract in a model of postoperative pain: *abstract* **321P**
Analgesia for pelvic brachytherapy **270**
Intraperitoneal and incisional bupivacaine with epinephrine for analgesia following total abdominal hysterectomy: *abstract* **326P**
Sedative and analgesic practice in the intensive care unit: *correspondence* **304**
analgesia, obstetric, Analysis of 16 460 obstetric epidurals performed by consultants and trainees: is there a difference in outcome?: *abstract* **325P**
Intrathecal ropivacaine or bupivacaine with fentanyl for labour: *correspondence* **611**
Remifentanil and pain relief in labour: *correspondence* **455**
Remifentanil by patient-controlled analgesia compared with intramuscular meperidine for pain relief in labour **374**
analgesia, paediatric, 'Tears at bedtime' and how to avoid them: *correspondence* **745**
analgesia, patient-controlled, Addition of meperidine to bupivacaine for spinal anaesthesia for Caesarean section **379**
Remifentanil and pain relief in labour: *correspondence* **455**
analgesia, postoperative, Effect of perioperative administration of dexketoprofen on opioid requirements and inflammatory response following elective hip arthroplasty **520**
In defence of paravertebral blockade: *correspondence* **743**
Pain relief after thoracotomy: *correspondence* **880**
Postoperative wound tissue oxygen tension with epidural or intravenous analgesia: *abstract* **318P**
analgesia, postoperative, epidural, A double blind dose-finding trial of clonidine in combination with 0.125% bupivacaine by infusion for postoperative epidural analgesia: *abstract* **326P**
analgesia, pre-emptive, Pre-emptive effect of epidural sufentanil in abdominal hysterectomy **803**
analgesic techniques, i.m., Skin necrosis following injection of non-steroidal anti-inflammatory drug **139**
analgesic techniques, subarachnoid, Addition of meperidine to bupivacaine for spinal anaesthesia for Caesarean section **379**
analgesic techniques, transcutaneous spinal electroanalgesia, Efficacy of transcutaneous spinal electroanalgesia in patients with chronic neck pain: *abstract* **328P**
analgesics, Comparative effect of paracetamol, NSAIDs or their combination in postoperative pain management: a qualitative review **199**
analgesics anti-inflammatory, non-steroidal, Comparative effect of paracetamol, NSAIDs or their combination in postoperative pain management: a qualitative review **199**
Does the opioid-sparing effect of rectal diclofenac following total abdominal hysterectomy benefit the patient? **714**
Is there a bleeding problem with platelet-active drugs?: *editorial I* **159**
Rectal and parenteral paracetamol, and paracetamol in combination with NSAIDs, for postoperative analgesia **215**
Skin necrosis following injection of non-steroidal anti-inflammatory drug **139**
analgesics anti-inflammatory, steroid, Dexamethasone decreases the pro- to anti-inflammatory cytokine ratio during cardiac surgery **496**
analgesics non-opioid, acetaminophen, Large dose acetaminophen reconsidered: *correspondence* **744**
'Tears at bedtime' and how to avoid them: *correspondence* **745**
Comparative effect of paracetamol, NSAIDs or their combination in postoperative pain management: a qualitative review **199**
Double-blind, placebo-controlled analgesic study of ibuprofen or rofecoxib in combination with paracetamol for tonsillectomy in children **72**
Rectal and parenteral paracetamol, and paracetamol in combination with NSAIDs, for postoperative analgesia **215**
analgesics non-opioid, clonidine, A double blind dose-finding trial of clonidine in combination with 0.125% bupivacaine by infusion for postoperative epidural analgesia: *abstract* **326P**
analgesics non-opioid, dexketoprofen, Effect of perioperative administration of dexketoprofen on opioid requirements and inflammatory response following elective hip arthroplasty **520**
analgesics non-opioid, diclofenac, Does the opioid-sparing effect of rectal diclofenac following total abdominal hysterectomy benefit the patient? **714**
Ketorolac, diclofenac, and ketoprofen are equally safe for pain relief after major surgery **227**
analgesics non-opioid, ibuprofen, Double-blind, placebo-controlled analgesic study of ibuprofen or rofecoxib in combination with paracetamol for tonsillectomy in children **72**
analgesics non-opioid, ketoprofen, Ketorolac, diclofenac, and ketoprofen are equally safe for pain relief after major surgery **227**

analgesics non-opioid, ketorolac, Ketorolac, diclofenac, and ketoprofen are equally safe for pain relief after major surgery **227**
analgesics non-opioid, rofecoxib, Double-blind, placebo-controlled analgesic study of ibuprofen or rofecoxib in combination with paracetamol for tonsillectomy in children **72**
analgesics opioid, Dexmedetomidine may be effective, but is it safe?: *correspondence* **454**
Extreme value theory applied to postoperative breathing patterns **61**
analgesics opioid, alfentanil, Concurrent ketamine and alfentanil administration: pharmacokinetic considerations, **94**
Effects of remifentanil and alfentanil on the cardiovascular responses to induction of anaesthesia and tracheal intubation in the elderly **430**
Respiratory response to skin incision during anaesthesia with infusions of propofol and alfentanil **649**
analgesics opioid, fentanyl, Abdominal pressure during laparoscopy: effects of fentanyl **384**
Potentiation by ketamine of fentanyl antinociception. 1. An experimental study in rats showing that ketamine administered by non-spinal routes targets spinal cord antinociceptive systems **685**
analgesics opioid, meperidine, Addition of meperidine to bupivacaine for spinal anaesthesia for Caesarean section **379**
Remifentanil by patient-controlled analgesia compared with intramuscular meperidine for pain relief in labour **374**
analgesics opioid, morphine, Does the opioid-sparing effect of rectal diclofenac following total abdominal hysterectomy benefit the patient? **714**
Effect of timing of morphine administration during remifentanil-based anaesthesia on early recovery from anaesthesia and postoperative pain **814**
analgesics opioid, remifentanil, EEG signal processing in anaesthesia. Use of a neural network technique for monitoring depth of anaesthesia **644**
Effect of timing of morphine administration during remifentanil-based anaesthesia on early recovery from anaesthesia and postoperative pain **814**
Effects of remifentanil and alfentanil on the cardiovascular responses to induction of anaesthesia and tracheal intubation in the elderly **430**
Remifentanil and pain relief in labour: *correspondence* **455**
Remifentanil by patient-controlled analgesia compared with intramuscular meperidine for pain relief in labour **374**
analgesics opioid, sufentanil, Epidural analgesia with 0.15% ropivacaine plus sufentanil 0.5 $\mu g\,ml^{-1}$ *versus* 0.10% bupivacaine plus sufentanil 0.5 $\mu g\,ml^{-1}$: a double-blind comparison during labour **809**
antagonists opioid, naloxone, Naloxone prevents increased atrial natriuretic peptide release during regional myocardial ischaemia and stunning in awake dogs **87**
antagonists, cyclo-oxygenase type 2 antagonist, Double-blind, placebo-controlled analgesic study of ibuprofen or rofecoxib in combination with paracetamol for tonsillectomy in children **72**
arterial pressure, Can a clinically useful aortic pressure wave be derived from a radial pressure wave? **481**
Effects of remifentanil and alfentanil on the cardiovascular responses to induction of anaesthesia and tracheal intubation in the elderly **430**
arterial pressure, control, Blood pressure manipulation during loco-regional anaesthetic carotid surgery: *correspondence* **303**
arterial pressure, drug effects, Non-invasive assessment of cardiovascular autonomic activity induced by brief exposure to 50% nitrous oxide in children **637**
arterial pressure, measurement, Left ventricular preload and function during graded haemorrhage and retransfusion in pigs: analysis of arterial pressure waveform and correlation with echocardiography **716**
arterial pressure, primary pulmonary hypertension, Primary pulmonary hypertension in pregnancy: *correspondence* **151**
arteries, abdominal aortic aneurysm, Anaphylactoid reactions to radio-opaque contrast media: *correspondence* **879**
Cardiac arrest after administration of Omnipaque radiocontrast medium during endoluminal repair of abdominal aortic aneurysm **133**
arteries, aorta occlusion, Cardiovascular effects of simultaneous occlusion of the inferior vena cava and aorta in patients treated with hypoxic abdominal perfusion for chemotherapy **193**
arteries, aortic aneurysm, Management of life-threatening haemoptysis **291**
arteries, vascular reactivity, Effects of plasma from septic patients on the vascular reactivity of omental blood vessels isolated from patients undergoing routine abdominal surgery: *abstract* **319P**
ataractics, cannabinoids, An open-labelled, dose-finding study of the analgesic and side-effects of a cannabis-based medicine extract in a model of postoperative pain: *abstract* **321P**

blood, anaemia, Blood transfusion in critical illness: *editorial III* **6**
blood, anticoagulants, Thrombin generation and its inhibition: a review of the scientific basis and mechanism of action of anticoagulant therapies **848**
blood, anticoagulants, heparin, Heparin resistance: *editorial I* **467**
blood, coagulation, Haemodilution enhances coagulation: *editorial II* **470**
In vivo effect of haemodilution with saline on coagulation: a randomized controlled trial **475**
Thrombin generation and its inhibition: a review of the scientific basis and mechanism of action of anticoagulant therapies **848**
blood, haemodilution, Effects of temperature and haematocrit on the relationships between blood flow velocity and blood flow in a vessel of fixed diameter **277**
Haemodilution enhances coagulation: *editorial II* **470**
In vivo effect of haemodilution with saline on coagulation: a randomized controlled trial **475**
blood, loss, Left ventricular preload and function during graded haemorrhage and retransfusion in pigs: analysis of arterial pressure waveform and correlation with echocardiography **716**
blood, massive haemoptysis, Management of life-threatening haemoptysis **291**
blood, mesenteric microcirculation, Differential effects of intravenous anaesthetic agents on the response of rat mesenteric microcirculation *in vivo* after haemorrhage **255**
blood, platelets, Is there a bleeding problem with platelet-active drugs?: *editorial I* **159**
blood, platelets, microvesicles, Impact of different volume replacement solutions on the formation of platelet microvesicles in porcine septic shock: *abstract* **320P**
blood, transfusion, Blood transfusion in critical illness: *editorial III* **6**
book reviews, *Acute and Procedure Pain in Infants and Children. Progress in Pain Research and Management.* Volume 20 **751**
Acute Pain Management. A Practical Guide **617**
Acute Pain Management. A Practical Guide **750**
Airway Management in the Critically Ill **462**
Anesthesiology Review **747**
Arachnoiditis: the Silent Epidemic **749**
Brain Edema XI **460**
Clinical Anaesthesia Viva Book **888**
Clinical Anesthesiology **884**
Complex Regional Pain Syndrome **886**
Conducting Research in Anaesthesia and Intensive Care Medicine **312**
Continuous Peripheral Nerve Block Techniques **750**
Critical Care Focus. Number 7: *Nutritional Issues* **748**
Essence of Anesthesia Practice **748**
Essentials of Anaesthetic Equipment **888**
Evidence-Based Management\a Practical Guide for Health Professionals **464**
Evidence-Based Pharmacy **156**
Handbook of Paediatric Intensive Care **749**
Imaging in Anaesthesia and Critical Care **616**
International Anesthesiology Clinics: Interoperative Management of the Patient in Non-cardiac Surgery **885**
International Anaesthesiology Clinics: Medical Ethics **463**
International Anesthesiology Clinics: Preoperative Cardiac Evaluation **615**
International Anesthesiology Clinics: Xenon **155**
Joint and Soft Tissue Injection **750**
Lung Volume Reduction Surgery **461**
Neuropathic Pain: Pathophysiology and Treatment **886**
Non-invasive Respiratory Support. A Practical Handbook **313**
Pediatric Anesthesia **887**
Percutaneous Central Venous and Arterial Catheterisation **312**
Principles and Practice of Pharmacology for Anaesthetists **747**
Problems in Anaesthesia Series: Perioperative Care of the Cardiopulmonary-compromised Patient **615**
Regional Nerve Blocks Textbook and Color Atlas **616**

Seizures—Medical Causes and Management **887**
Surgery, Sand and Saigon Tea. An Australian Army Doctor in Vietnam **464**
Textbook of Anaesthesia **155**
The Massachusetts General Hospital of Pain Management **885**
The Patient's Internet Handbook **463**
Top Tips in Critical Care **617**
Topics in Neuroanaesthesia and Intensive Care **460**
brain, cerebral blood flow, Cerebrovascular carbon dioxide reactivity in children anaesthetized with sevoflurane **357**
brain, cerebral cortex, Effects of xenon on acetylcholine release in the rat cerebral cortex *in vivo* **866**
brain, cerebral perfusion pressure, Effects of 50% nitrous oxide on estimated cerebral perfusion pressure and zero flow pressure in healthy volunteers: *abstract* **317P**
brain, electroconvulsive therapy, Bispectral index monitoring during electroconvulsive therapy under propofol anaesthesia **184**
brain, electroencephalography, EEG signal processing in anaesthesia. Use of a neural network technique for monitoring depth of anaesthesia **644**
brain, entropy, Bispectral index monitoring during electroconvulsive therapy under propofol anaesthesia **184**
brain, injury, Effect of hypothermia on brain tissue oxygenation in patients with severe head injury **188**
brain, intracranial pressure, Hyperacute liver failure: what threshold for raised intracranial pressure should we accept?: *abstract* **317P**
brain, ischaemia, Effects of propofol on lactate accumulation and oedema formation in focal cerebral ischaemia in hyperglycaemic rats **412**
brain, natriuretic peptide, Naloxone prevents increased atrial natriuretic peptide release during regional myocardial ischaemia and stunning in awake dogs **87**
brain, somatosensory evoked response, Recovery of memory after general anaesthesia: clinical findings and somatosensory evoked responses **362**
brain, tissue oxygenation, Effect of hypothermia on brain tissue oxygenation in patients with severe head injury **188**

cancer, spinal neoplasm, Lumbar ependymoma presenting with paraplegia following attempted spinal anaesthesia **438**
CD reviews, *Anesthesia* **884**
TEE on CD: An Interactive Resource **156**
children, The sitting position for neurosurgery in children: a review of 16 years' experience **12**
The sitting position in neurosurgery—not yet obsolete!: *editorial I* **1**
circulation, extracorporeal, Dopexamine attenuates microvascular perfusion injury of the small bowel in pigs induced by extracorporeal circulation **841**
complications, Air flow resistance of wet breathing system filters: *correspondence* **451**
An examination of the association between predicted postoperative FEV_1 and cardiac and respiratory complications in patients undergoing pneumonectomy: *abstract* **314P**
Comparison of caudal and intravenous clonidine in the prevention of agitation after sevoflurane in children **790**
Dexmedetomidine may be effective, but is it safe?: *correspondence* **454**
Evaluation of postural stability after low-dose droperidol in outpatients undergoing gynaecological dilation and curettage procedure **819**
Intravascular loss of complete guidewires: *correspondence* **882**
Ketorolac, diclofenac, and ketoprofen are equally safe for pain relief after major surgery **227**
Loss of the guide wire: mishap or blunder? **144**
Pharmacokinetics of dexmedetomidine infusions for sedation of postoperative patients requiring intensive care **669**
Simple height-based method of choosing the correct tracheal tube size in children: *correspondence* **457**
Transtracheal high frequency jet ventilation for endolaryngeal surgery: *correspondence* **609**
complications, acute respiratory distress syndrome, Pulse oximetry, carbon monoxide and protective ventilatory strategies in severe ARDS: *correspondence* **309**
complications, adverse reaction, No response to trigger agents in a malignant hyperthermia-susceptible patient **870**
complications, air embolism, The sitting position for neurosurgery in children: a review of 16 years' experience **12**
The sitting position in neurosurgery—not yet obsolete!: *editorial I* **1**
complications, anaphylaxis, Allergy to chlorhexidine-coated central venous catheters revisited: *correspondence* **304**
Anaphylactoid reactions to radio-opaque contrast media: *correspondence* **879**
Anaphylaxis to rocuronium **600**
Cardiac arrest after administration of Omnipaque radiocontrast medium during endoluminal repair of abdominal aortic aneurysm **133**
complications, aspiration, ProSeal laryngeal mask protects against aspiration of fluid in the pharynx **584**
complications, atelectasis, Variation of venous admixture, SF_6 shunt, Pa_{O_2}, and the Pa_{O_2}/FI_{O_2} ratio with FI_{O_2} **771**
complications, atrial fibrillation, Use of remifentanil in fast atrial fibrillation: *correspondence* **614**
complications, autonomic dysfunction, Semi-permanent cardiac pacing in severe tetanus: *correspondence* **882**
Severe anuric renal failure in a patient with tetanus: *correspondence* **740**
complications, autonomic hyper-reflexia, Management of life-threatening autonomic hyper-reflexia using magnesium sulphate in a patient with a high spinal cord injury in the intensive care unit **434**
complications, beta-thalassaemia major, Submental intubation in a patient with beta-thalassaemia major undergoing elective maxillary and mandibular osteotomies **288**
complications, cardiac tamponade, Delayed diagnosis of cardiac tamponade: *correspondence* **610**
How to avoid fatal complications after central venous catheterization: *correspondence* **147**
complications, cardiorespiratory arrest, Neurological outcome prediction in a cardiorespiratory arrest survivor **719**
complications, chlorhexidine allergy, Allergy to chlorhexidine-coated central venous catheters revisited: *correspondence* **304**
complications, chronic obstructive pulmonary disease, Intrinsic positive end-expiratory pressure during one-lung ventilation of patients with pulmonary hyperinflation. Influence of low respiratory rate with unchanged minute volume **56**
complications, death, Semi-permanent cardiac pacing in severe tetanus: *correspondence* **882**
Severe anuric renal failure in a patient with tetanus: *correspondence* **740**
complications, dural puncture, Epidural haematoma in a parturient with neurofibromatosis: *correspondence* **745**
complications, dysgenesia, Airway management in an infant with congenital centrofacial dysgenesia **726**
complications, epidural haematoma, Epidural haematoma in a parturient with neurofibromatosis: *correspondence* **745**
complications, exercise-induced rhabdomyolysis, Malignant hyperthermia associated with exercise-induced rhabdomyolysis or congenital abnormalities and a novel *RYRI* mutation in New Zealand and Australian pedigrees **508**
complications, fetal distress, Unnecessary Caesarean section due to silent CTG: *correspondence* **611**
complications, gastric insufflation, Reliability of epigastric auscultation to detect gastric insufflation **1??**
complications, Glanzmann's thrombasthenia, Peripartum management of a patient with Glanzmann's thrombasthenia using Thrombelastograph® **734**
complications, haematoma, Failed intubation due to posterior fossa haematoma requiring emergency percutaneous tracheostomy: *correspondence* **310**
complications, haemoglobinopathy, Submental intubation in a patient with beta-thalassaemia major undergoing elective maxillary and mandibular osteotomies **288**
complications, haemorrhage, Differential effects of intravenous anaesthetic agents on the response of rat mesenteric microcirculation *in vivo* after haemorrhage **255**
Lumbar ependymoma presenting with paraplegia following attempted spinal anaesthesia **438**
Peripartum management of a patient with Glanzmann's thrombasthenia using Thrombelastograph® **734**
complications, heat stroke, Heat stroke: implications for critical care and anaesthesia **700**
complications, hydrothorax, Infected mediastinitis secondary to perforation of superior vena cava by a central venous catheter **298**
complications, hypothermia, Effect of hypothermia on brain tissue oxygenation in patients with severe head injury **188**

Effects of temperature and haematocrit on the relationships between blood flow velocity and blood flow in a vessel of fixed diameter **277**
complications, inflammation, Differential modulation of interleukin-6 and interleukin-10 by diclofenac in patients undergoing major surgery **797**
complications, intubation tracheal, Rigid nasendoscope with video camera system for intubation in infants with Pierre-Robin sequence **728**
complications, malignant hyperthermia, Heat stroke: implications for critical care and anaesthesia **700**
Malignant hyperthermia associated with exercise-induced rhabdomyolysis or congenital abnormalities and a novel *RYRI* mutation in New Zealand and Australian pedigrees **508**
No evidence of mutations in the *CACNA1S* gene in the UK malignant hyperthermia population **587**
No response to trigger agents in a malignant hyperthermia-susceptible patient **870**
Serotonin toxicity and malignant hyperthermia: role of 5-HT_2 receptors: *correspondence* **603**
complications, mediastinitis, Infected mediastinitis secondary to perforation of superior vena cava by a central venous catheter **298**
complications, multiple organ failure, Role of the kidney in perioperative inflammatory responses: *editorial II* **330**
complications, myasthenia gravis, Myasthenia gravis unmasked by neuromuscular blockade: *correspondence* **153**
complications, myocardial stunning, Naloxone prevents increased atrial natriuretic peptide release during regional myocardial ischaemia and stunning in awake dogs **87**
complications, myopathy, Malignant hyperthermia associated with exercise-induced rhabdomyolysis or congenital abnormalities and a novel *RYRI* mutation in New Zealand and Australian pedigrees **508**
complications, neurological, Epidural haematoma in a parturient with neurofibromatosis: *correspondence* **745**
Recurrent neurological symptoms in a patient following repeat combined spinal and epidural anaesthesia **141**
complications, noise, Noise in the postanaesthesia care unit **369**
complications, obstruction, Mechanical closure of the vocal cords with the laryngeal mask airway ProSeal© **296**
complications, obstructive sleep apnoea, Tracheostomy, lingular tonsillectomy, and sleep-related breathing disorders **724**
complications, oesophageal perforation, Late oesophageal perforation after intraoperative transoesophageal echocardiography **595**
complications, oesophagotracheal perforation, Oesophagotracheal perforation after intraoperative transoesphageal echocardiography in cardiac surgery **592**
complications, oxygen embolism, Oxygen embolism after hydrogen peroxide irrigation of a vulvar abscess **597**
complications, paralysis, Is it safe to artificially ventilate paralysed patients through a laryngeal mask?: *correspondence* **149**
complications, paraplegia, Lumbar ependymoma presenting with paraplegia following attempted spinal anaesthesia **438**
complications, Pierre-Robin sequence, Rigid nasendoscope with video camera system for intubation in infants with Pierre-Robin sequence **728**
complications, postoperative hypotension, Duration of hospital stay and perioperative morbidity in patients with hip fractures: *correspondence* **742**
Randomized controlled trial to investigate influence of the fluid challenge on duration of hospital stay and perioperative morbidity in patients with hip fractures **65**
complications, pulmonary hyperinflation, Intrinsic positive end-expiratory pressure during one-lung ventilation of patients with pulmonary hyperinflation. Influence of low respiratory rate with unchanged minute volume **56**
complications, pulmonary oedema, Intraoperative pulmonary oedema in a child following systemic absorption of phenylephrine eyedrops **440**
complications, pulmonary venous obstruction, Transoesophageal echocardiographic monitoring of pulmonary venous obstruction induced by sternotomy closure during infant heart transplantation **590**
complications, regurgitation, ProSeal laryngeal mask protects against aspiration of fluid in the pharynx **584**
complications, renal, Role of the kidney in perioperative inflammatory responses: *editorial II* **330**
complications, seizure, Bupivacaine inhibits human neuronal Kv3 channels in SH-SY5Y human neuroblastoma cells **864**
complications, side-effects, Bupivacaine inhibits human neuronal Kv3 channels in SH-SY5Y human neuroblastoma cells **864**
Modulation of β-adrenergic receptor subtype activities in perioperative medicine: mechanisms and sites of action **101**
complications, skin necrosis, Skin necrosis following injection of non-steroidal anti-inflammatory drug **139**
complications, sore throat, Postoperative sore throat after ambulatory surgery **582**
complications, spinal cord injury, Management of life-threatening autonomic hyper-reflexia using magnesium sulphate in a patient with a high spinal cord injury in the intensive care unit **434**
complications, spinal cord trauma, Informed consent for regional anaesthesia: *correspondence* **307**
complications, stress, Serotonin toxicity and malignant hyperthermia: role of 5-HT_2 receptors: *correspondence* **603**
complications, Tapia's syndrome, Tapia's syndrome following shoulder surgery **869**
complications, tracheal damage, Tracheal cuff pressurela survey of clinical practice: *correspondence* **456**
complications, tracheal laceration, Management of massive air leak following intubation injury in a very low birth weight infant **722**
complications, tracheal stenosis, Comparison of methods of administration of high frequency jet ventilation in a model of laryngotracheal stenosis: *abstract* **314P**
Unsuspected concentric tracheal rings in a 14-year-old with scoliosis **732**
complications, trauma, A prospective study of the quality of pre-hospital emergency ventilation in patients with severe head injury **345**
computer simulation, Can molecular similarity-activity models for intravenous general anaesthetics help explain their mechanism of action? **166**

dog, Effects of intracoronary calcium chloride on regional oxygen balance and mechanical function in normal and stunned myocardium in dogs **78**
Inhaled olprinone improves contractility of fatigued canine diaphragm **408**
drugs, inotropic, Effects of intracoronary calcium chloride on regional oxygen balance and mechanical function in normal and stunned myocardium in dogs **78**

education, Anaesthesia and the Internet: *editorial III* **334**
education, continuing, The role of non-technical skills in anaesthesia: a review of current literature **418**
education, Delphi technique, Development and use of scoring systems for assessment of clinical competence: *editorial I* **329**
Use of a high-fidelity simulator to develop testing of the technical performance of novice anaesthetists **338**
education, medical training, assessment, A continuous competence-based assessment programme for senior house officer training in anaesthesia: *abstract* **327P**
education, simulators, Development and use of scoring systems for assessment of clinical competence: *editorial I* **329**
Use of a high-fidelity simulator to develop testing of the technical performance of novice anaesthetists **338**
embolism, air, Paradoxical air embolism during hepatic resection **136**
enzymes, cyclo-oxygenase, Differential modulation of interleukin-6 and interleukin-10 by diclofenac in patients undergoing major surgery **797**
enzymes, glutathione S-transferase, Effect of spinal anaesthesia on plasma concentrations of glutathione S-transferase **285**
enzymes, hyaluronidase, Deep topical fornix nerve block versus peribulbar block in one-step adjustable-suture horizontal strabismus surgery **129**
enzymes, phosphodiesterase, inhibition, Effects of phosphodiesterase III inhibition on length-dependent regulation of myocardial function in coronary surgery patients **779**
equipment, Is an electronic data collecting device a valid method for assessing postoperative pain in an ambulatory surgery setting?: *abstract* **328P**
equipment, airway, Randomized crossover comparison of the ProSeal with the classic laryngeal mask airway in unparalysed anaesthetized patients **527**

The ProSeal laryngeal mask: results of a descriptive trial with experience of 300 cases **534**
Tracheostomy, lingular tonsillectomy, and sleep-related breathing disorders **724**

equipment, anaesthesia machines, Fresh gas flow is not the only determinant of volatile agent consumption: a multi-centre study of low-flow anaesthesia **46**

equipment, bacterial filters, Air flow resistance of wet breathing system filters: *correspondence* **451**

equipment, breathing systems, Model-based administration of inhalation anaesthesia. 3. Validating the system model **24**
Model-based administration of inhalation anaesthesia. 4. Applying the system model **175**

equipment, breathing systems, closed-circuit, Predictive performance of a physiological model for enflurane closed-circuit anaesthesia: effects of continuous cardiac output measurements and age-related solubility data **38**

equipment, catheters, Intravascular loss of complete guidewires: *correspondence* **882**

equipment, catheters central venous, Allergy to chlorhexidine-coated central venous catheters revisited: *correspondence* **304**
Loss of the guide wire: mishap or blunder? **144**

equipment, cuff tracheal, Tracheal cuff pressurela survey of clinical practice: *correspondence* **456**

equipment, heat and moisture exchangers, Air flow resistance of wet breathing system filters: *correspondence* **451**

equipment, laryngoscopes, Remember the straight laryngoscope: *correspondence* **151**

equipment, masks anaesthesia, Is it safe to artificially ventilate a paralysed patient through a laryngeal mask?: *correspondence* **308**
Mechanical closure of the vocal cords with the laryngeal mask airway ProSeal© **296**
Positive pressure ventilation during fibreoptic intubation: comparison of the laryngeal mask airway, intubating laryngeal mask and endoscopy mask techniques **246**
ProSeal laryngeal mask protects against aspiration of fluid in the pharynx **584**
ProSeal *versus* the Classic laryngeal mask airway for positive pressure ventilation during laparoscopic cholecystectomy **824**
Randomized crossover comparison of the ProSeal with the classic laryngeal mask airway in unparalysed anaesthetized patients **527**
The ProSeal laryngeal mask: results of a descriptive trial with experience of 300 cases **534**

equipment, RAE tubes, Salim and Mahmood modification of RAE tubes: *correspondence* **459**

equipment, rigid nasendoscope, Rigid nasendoscope with video camera system for intubation in infants with Pierre-Robin sequence **728**

equipment, safety, The need for new evaluation methodology for medical devices: *correspondence* **883**

equipment, syringe pumps, Downward movement of syringe pumps reduces syringe output: *correspondence* **302**

equipment, Thrombelastograph®, Peripartum management of a patient with Glanzmann's thrombasthenia using Thrombelastograph® **734**

equipment, transcranial Doppler apparatus, Effects of temperature and haematocrit on the relationships between blood flow velocity and blood flow in a vessel of fixed diameter **277**

equipment, tubes tracheal, Simple height-based method of choosing the correct tracheal tube size in children: *correspondence* **457**
Submental intubation in a patient with beta-thalassaemia major undergoing elective maxillary and mandibular osteotomies **288**

equipment, tubes tracheostomy, Failed intubation due to posterior fossa haematoma requiring emergency percutaneous tracheostomy: *correspondence* **310**

equipment, vaporizers, The output of two sevoflurane vaporizers in the presence of helium **711**

equipment, video camera, Rigid nasendoscope with video camera system for intubation in infants with Pierre-Robin sequence **728**

fluids, i.v., Impact of different volume replacement solutions on the formation of platelet microvesicles in porcine septic shock: *abstract* **320P**

gases non-anaesthetic, helium, The output of two sevoflurane vaporizers in the presence of helium **711**

gastrointestinal tract, oesophagus, Late oesophageal perforation after intraoperative transoesophageal echocardiography **595**

genetic factors, hyperthermia, Malignant hyperthermia associated with exercise-induced rhabdomyolysis or congenital abnormalities and a novel *RYR1* mutation in New Zealand and Australian pedigrees **508**
No evidence of mutations in the *CACNA1S* gene in the UK malignant hyperthermia population **587**

heart, Late oesophageal perforation after intraoperative transoesophageal echocardiography **595**

heart, arrhythmia, tachycardia, Termination of supraventricular tachycardia by propofol **874**

heart, atrial natriuretic peptide, Naloxone prevents increased atrial natriuretic peptide release during regional myocardial ischaemia and stunning in awake dogs **87**

heart, cardiac output, Continuous and intermittent cardiac output measurement: pulmonary artery catheter *versus* aortic transpulmonary technique **350**
Predictive performance of a physiological model for enflurane closed-circuit anaesthesia: effects of continuous cardiac output measurements and age-related solubility data **38**
Xenon increases total body oxygen consumption during isoflurane anaesthesia in dogs **546**

heart, cardiac troponin I, Glucose, insulin and potassium for heart protection during cardiac surgery **489**

heart, cardioprotection, Modulation of β-adrenergic receptor subtype activities in perioperative medicine: mechanisms and sites of action **101**

heart, cardiopulmonary resuscitation, Value of bispectral index monitoring during cardiopulmonary resuscitation **443**

heart, cardiovascular changes, Cardiovascular effects of simultaneous occlusion of the inferior vena cava and aorta in patients treated with hypoxic abdominal perfusion for chemotherapy **193**

heart, catheterization, How to avoid fatal complications after central venous catheterization: *correspondence* **147**

heart, central venous catheterization, Infected mediastinitis secondary to perforation of superior vena cava by a central venous catheter **298**

heart, central venous pressure, Optimizing fluid therapy in mechanically ventilated patients after cardiac surgery by on-line monitoring of left ventricular stroke volume variations. Comparison with aortic systolic pressure variations **124**

heart, contractility, Effects of phosphodiesterase III inhibition on length-dependent regulation of myocardial function in coronary surgery patients **779**

heart, coronary circulation, Effects of intracoronary calcium chloride on regional oxygen balance and mechanical function in normal and stunned myocardium in dogs **78**

heart, defibrillators, Implanted cardiac pacemakers and defibrillators in anaesthetic practice: *editorial III* **629**

heart, echocardiography, Left ventricular preload and function during graded haemorrhage and retransfusion in pigs: analysis of arterial pressure waveform and correlation with echocardiography **716**

heart, heart rate, Effects of remifentanil and alfentanil on the cardiovascular responses to induction of anaesthesia and tracheal intubation in the elderly **430**

heart, heart rate, perioperative, Modulation of β-adrenergic receptor subtype activities in perioperative medicine: mechanisms and sites of action **101**

heart, ischaemia, Naloxone prevents increased atrial natriuretic peptide release during regional myocardial ischaemia and stunning in awake dogs **87**

heart, left ventricular dysfunction, Xenon produces minimal haemodynamic effects in rabbits with chronically compromised left ventricular function **264**

heart, left ventricular preload, Optimizing fluid therapy in mechanically ventilated patients after cardiac surgery by on-line monitoring of left ventricular stroke volume variations. Comparison with aortic systolic pressure variations **124**

heart, left ventricular response, Optimizing fluid therapy in mechanically ventilated patients after cardiac surgery by on-line monitoring of left ventricular stroke volume variations. Comparison with aortic systolic pressure variations **124**

heart, myocardial function, Cardioprotection by sevoflurane against reperfusion injury after cardioplegic arrest in the rat is independent of three types of cardioplegia **828**

Xenon produces minimal haemodynamic effects in rabbits with chronically compromised left ventricular function **264**
heart, myocyte protection, Glucose, insulin and potassium for heart protection during cardiac surgery **489**
heart, pacemakers, Implanted cardiac pacemakers and defibrillators in anaesthetic practice: *editorial III* **629**
heart, right-to-left shunt, Variation of venous admixture, SF_6 shunt, Pa_{O_2}, and the Pa_{O_2}/FI_{O_2} ratio with FI_{O_2} **771**
heart, systolic pressure variation, Optimizing fluid therapy in mechanically ventilated patients after cardiac surgery by on-line monitoring of left ventricular stroke volume variations. Comparison with aortic systolic pressure variations **124**
heart, transplantation, Transoesophageal echocardiographic monitoring of pulmonary venous obstruction induced by sternotomy closure during infant heart transplantation **590**
heart, vascular endothelium, Role of nitric oxide and cyclooxygenase pathways in the coronary vascular effects of halothane, isoflurane and desflurane in red blood cell-perfused isolated rabbit hearts **399**
heart, ventricular function, Effects of phosphodiesterase III inhibition on length-dependent regulation of myocardial function in coronary surgery patients **779**
history, British Journal of Anaesthesia, The British Journal of Anaesthesia. An informal history of the first 25 years **445**
hormones, prostaglandins, Role of nitric oxide and cyclooxygenase pathways in the coronary vascular effects of halothane, isoflurane and desflurane in red blood cell-perfused isolated rabbit hearts **399**
hormones, serotonin, Serotonin toxicity and malignant hyperthermia: role of 5-HT_2 receptors: *correspondence* **603**
horse, Effect of different pulses of nitric oxide on venous admixture in the anaesthetized horse **394**
hyperbaria, hyperbaric chamber, Microdialysis under hyperbaric conditions: *abstract* **320P**
hypnotics benzodiazepine, midazolam, Can a clinically useful aortic pressure wave be derived from a radial pressure wave? **481**
hypnotics butyrophenone, droperidol, Evaluation of postural stability after low-dose droperidol in outpatients undergoing gynaecological dilation and curettage procedure **819**
hypothermia, Effect of nitrous oxide on myogenic motor evoked potentials during hypothermia in rabbits anaesthetized with ketamine/fentanyl/propofol **836**

infection, bacterial, Oxygen embolism after hydrogen peroxide irrigation of a vulvar abscess **597**
infection, sepsis, Effects of plasma from septic patients on the vascular reactivity of omental blood vessels isolated from patients undergoing routine abdominal surgery: *abstract* **319P**
infection, tetanus, Semi-permanent cardiac pacing in severe tetanus: *correspondence* **882**
Severe anuric renal failure in a patient with tetanus: *correspondence* **740**
Use of magnesium to treat tetanus: *correspondence* **152**
infusions, glucose-insulin-potassium, Glucose, insulin and potassium for heart protection during cardiac surgery **489**
intensive care, Heat stroke: implications for critical care and anaesthesia **700**
Management of life-threatening autonomic hyper-reflexia using magnesium sulphate in a patient with a high spinal cord injury in the intensive care unit **434**
Sedative and analgesic practice in the intensive care unit: *correspondence* **304**
Tracheal cuff pressurela survey of clinical practice: *correspondence* **456**
intensive care, management, Semi-permanent cardiac pacing in severe tetanus: *correspondence* **882**
Severe anuric renal failure in a patient with tetanus: *correspondence* **740**
intensive care, postoperative, Pharmacokinetics of dexmedetomidine infusions for sedation of postoperative patients requiring intensive care **669**
intensive care, sedation, Pharmacokinetics of dexmedetomidine infusions for sedation of postoperative patients requiring intensive care **669**
intensive care, sedation, postoperative, Dexmedetomidine may be effective, but is it safe?: *correspondence* **454**
intubation orotracheal, Management of massive air leak following intubation injury in a very low birth weight infant **722**
intubation tracheal, A prospective study of the quality of pre-hospital emergency ventilation in patients with severe head injury **345**
How reliable is length-based determination of body weight and tracheal tube size in the paediatric age group? The Broselow tape reconsidered **283**
Positive pressure ventilation during fibreoptic intubation: comparison of the laryngeal mask airway, intubating laryngeal mask and endoscopy mask techniques **246**
intubation tracheal, prolonged, Management of massive air leak following intubation injury in a very low birth weight infant **722**
intubation tracheal, responses, Effects of remifentanil and alfentanil on the cardiovascular responses to induction of anaesthesia and tracheal intubation in the elderly **430**
intubation tracheal, submental, Submental intubation in a patient with beta-thalassaemia major undergoing elective maxillary and mandibular osteotomies **288**
intubation tracheal, technique, Airway management in the emergency department: *editorial IV* **9**
Airway management in the emergency department: *correspondence* **876**
intubation tracheal, training, Airway management in the emergency department: *editorial IV* **9**
Airway management in the emergency department: *correspondence* **876**
ions, calcium, Effects of intracoronary calcium chloride on regional oxygen balance and mechanical function in normal and stunned myocardium in dogs **78**
ions, magnesium, Use of magnesium to treat tetanus: *correspondence* **152**

larynx, Randomized crossover comparison of the ProSeal with the classic laryngeal mask airway in unparalysed anaesthetized patients **527**
The ProSeal laryngeal mask: results of a descriptive trial with experience of 300 cases **534**
larynx, bronchoscopy fibreoptic, ProSeal laryngeal mask protects against aspiration of fluid in the pharynx **584**
larynx, laryngoscopy, Transtracheal high frequency jet ventilation for endolaryngeal surgery: *correspondence* **609**
liver, acute failure, Hyperacute liver failure: what threshold for raised intracranial pressure should we accept?: *abstract* **317P**
liver, function, Assessment of liver function: its application to outcome from liver transplantation: *editorial II* **757**
Rocuronium plasma concentrations during three phases of liver transplantation: relationship with early postoperative graft liver function **764**
liver, hepatotoxicity, Effect of spinal anaesthesia on plasma concentrations of glutathione S-transferase **285**
liver, resection, Paradoxical air embolism during hepatic resection **136**
liver, transplantation, Assessment of liver function: its application to outcome from liver transplantation: *editorial II* **757**
Continuous and intermittent cardiac output measurement: pulmonary artery catheter *versus* aortic transpulmonary technique **350**
Rocuronium plasma concentrations during three phases of liver transplantation: relationship with early postoperative graft liver function **764**
lung, alveolus, The alveolar lining: *correspondence* **607**
The alveolar surface and the geodesic planes hypothesis: *correspondence* **306**
lung, angiectasia, Management of life-threatening haemoptysis **291**
lung, atelectasis, Effect of different pulses of nitric oxide on venous admixture in the anaesthetized horse **394**
lung, respiration, Extreme value theory applied to postoperative breathing patterns **61**
lung, respiratory distress syndrome, High-frequency oscillation in adolescents **708**
lung, respiratory rate, Intrinsic positive end-expiratory pressure during one-lung ventilation of patients with pulmonary hyperinflation. Influence of low respiratory rate with unchanged minute volume **56**
lung, surfactant, The alveolar lining: *correspondence* **607**

measurement techniques, acoustic, Phonomyography of the corrugator supercilii muscle: signal characteristics, best recording site and comparison with acceleromyography **389**
measurement techniques, Broselow tape, How reliable is length-based determination of body weight and tracheal tube size in the paediatric age group? The Broselow tape reconsidered **283**

measurement techniques, Doppler ultrasonography, Cerebrovascular carbon dioxide reactivity in children anaesthetized with sevoflurane **357**
In vitro estimation of cerebral critical closing pressure during simulation of intracranial hypertension: *abstract* **317P**
measurement techniques, Fourier analysis, Phonomyography of the corrugator supercilii muscle: signal characteristics, best recording site and comparison with acceleromyography **389**
measurement techniques, *in vivo* microscopy, Differential effects of intravenous anaesthetic agents on the response of rat mesenteric microcirculation *in vivo* after haemorrhage **255**
measurement techniques, mass spectrometry, Predictive performance of a physiological model for enflurane closed-circuit anaesthesia: effects of continuous cardiac output measurements and age-related solubility data **38**
measurement techniques, microdialysis, Microdialysis under hyperbaric conditions: *abstract* **320P**
measurement techniques, neuromuscular block, Myasthenia gravis unmasked by neuromuscular blockade: *correspondence* **153**
measurement techniques, nuclear magnetic resonance, Effects of propofol on lactate accumulation and oedema formation in focal cerebral ischaemia in hyperglycaemic rats **412**
measurement techniques, oesophageal Doppler ultrasonography, Duration of hospital stay and perioperative morbidity in patients with hip fractures: *correspondence* **742**
Randomized controlled trial to investigate influence of the fluid challenge on duration of hospital stay and perioperative morbidity in patients with hip fractures **65**
measurement techniques, phonomyography, Phonomyography of the corrugator supercilii muscle: signal characteristics, best recording site and comparison with acceleromyography **389**
measurement techniques, pulse contour analysis, Continuous and intermittent cardiac output measurement: pulmonary artery catheter *versus* aortic transpulmonary technique **350**
Optimizing fluid therapy in mechanically ventilated patients after cardiac surgery by on-line monitoring of left ventricular stroke volume variations. Comparison with aortic systolic pressure variations **124**
measurement techniques, thermodilution, Continuous and intermittent cardiac output measurement: pulmonary artery catheter *versus* aortic transpulmonary technique **350**
measurement techniques, transcranial Doppler ultrasonography, Effects of 50% nitrous oxide on estimated cerebral perfusion pressure and zero flow pressure in healthy volunteers: *abstract* **317P**
measurement techniques, ultrasonography, Ultrasonographic assessment of topographic anatomy in volunteers suggests a modification of the infraclavicular vertical brachial plexus block **632**
Ultrasound-guided nerve blocks: *editorial I* **622**
medico-legal, Somebody else's nervous system: *editorial III* **760**
memory, Recovery of memory after general anaesthesia: clinical findings and somatosensory evoked responses **362**
metabolism, ester hydrolysis, Does ester hydrolysis change the *in vitro* degradation rate of cisatracurium and atracurium? **555**
metabolism, Hofmann elimination, Does ester hydrolysis change the *in vitro* degradation rate of cisatracurium and atracurium? **555**
metabolism, hyperglycaemia, Effects of propofol on lactate accumulation and oedema formation in focal cerebral ischaemia in hyperglycaemic rats **412**
metabolism, inositol polyphosphates, Serotonin toxicity and malignant hyperthermia: role of 5-HT_2 receptors: *correspondence* **603**
metabolism, lactate, Effects of propofol on lactate accumulation and oedema formation in focal cerebral ischaemia in hyperglycaemic rats **412**
metabolism, morphine, Morphine glucuronides inhibit $DiOC_2$ excretion from human lymphocytes: *abstract* **322P**
metabolism, oxygen consumption, Xenon increases total body oxygen consumption during isoflurane anaesthesia in dogs **546**
model, Can molecular similarity-activity models for intravenous general anaesthetics help explain their mechanism of action? **166**
model, critical closing pressure, *In vitro* estimation of cerebral critical closing pressure during simulation of intracranial hypertension: *abstract* **317P**
model, oxygen consumption, Mathematical modelling of oxygen balance defines theoretical hypoperfusion limits for cardiopulmonary bypass: *abstract* **315P**
model, physiological, Predictive performance of a physiological model for enflurane closed-circuit anaesthesia: effects of continuous cardiac output measurements and age-related solubility data **38**
monitoring, Depth of sedation in children undergoing computed tomography: validity and reliability of the University of Michigan Sedation Scale (UMSS) **241**
monitoring, bispectral index, Bispectral index monitoring during electroconvulsive therapy under propofol anaesthesia **184**
EEG signal processing in anaesthesia. Use of a neural network technique for monitoring depth of anaesthesia **644**
Value of bispectral index monitoring during cardiopulmonary resuscitation **443**
monitoring, bronchial arteriography, Management of life-threatening haemoptysis **291**
monitoring, cardiopulmonary, Dexmedetomidine may be effective, but is it safe?: *correspondence* **454**
monitoring, cardiotocography, Unnecessary Caesarean section due to silent CTG: *correspondence* **611**
monitoring, depth of anaesthesia, The importance of looking at the EEG when presenting univariate variables to describe it: *correspondence* **739**
monitoring, echocardiography, Xenon produces minimal haemodynamic effects in rabbits with chronically compromised left ventricular function **264**
monitoring, electroencephalography, Bispectral index monitoring during electroconvulsive therapy under propofol anaesthesia **184**
EEG signal processing in anaesthesia. Use of a neural network technique for monitoring depth of anaesthesia **644**
Propofol blood levels, clinical sedation scores and electrophysiological variables in children emerging from propofol infusion anaesthesia: *abstract* **318P**
monitoring, evoked potentials, Effect of nitrous oxide on myogenic motor evoked potentials during hypothermia in rabbits anaesthetized with ketamine/fentanyl/propofol **836**
monitoring, haemodynamic, Optimizing fluid therapy in mechanically ventilated patients after cardiac surgery by on-line monitoring of left ventricular stroke volume variations. Comparison with aortic systolic pressure variations **124**
monitoring, intraoperative, Duration of hospital stay and perioperative morbidity in patients with hip fractures: *correspondence* **742**
Randomized controlled trial to investigate influence of the fluid challenge on duration of hospital stay and perioperative morbidity in patients with hip fractures **65**
monitoring, neurological outcome prediction, Neurological outcome prediction in a cardiorespiratory arrest survivor **719**
monitoring, neuromuscular function, Phonomyography of the corrugator supercilii muscle: signal characteristics, best recording site and comparison with acceleromyography **389**
monitoring, somatosensory evoked potential, Effect of sevoflurane/nitrous oxide *versus* propofol anaesthesia on somatosensory evoked potential monitoring of the spinal cord during surgery to correct scoliosis **502**
monitoring, transoesophageal echocardiography, Delayed diagnosis of cardiac tamponade: *correspondence* **610**
Late oesophageal perforation after intraoperative transoesophageal echocardiography **595**
Transoesophageal echocardiographic monitoring of pulmonary venous obstruction induced by sternotomy closure during infant heart transplantation **590**
Oesophagotracheal perforation after intraoperative transoesphageal echocardiography in cardiac surgery **592**
monitoring, transthoracic echocardiography, Delayed diagnosis of cardiac tamponade: *correspondence* **610**
muscle respiratory, Abdominal pressure during laparoscopy: effects of fentanyl **384**
Effects of anaesthetic agents on airway smooth muscles: *editorial II* **625**

nerve, cranial, Tapia's syndrome following shoulder surgery **869**
neuromuscular block, allergy, Anaphylaxis during anaesthesia: *correspondence* **604**

neuromuscular block, atracurium, Does ester hydrolysis change the *in vitro* degradation rate of cisatracurium and atracurium? **555**
neuromuscular block, cisatracurium, Does ester hydrolysis change the *in vitro* degradation rate of cisatracurium and atracurium? **555**
neuromuscular block, decamethonium congeners, Molecular conformation-activity relationship of decamethonium congeners **692**
neuromuscular block, muscle relaxants, Receptive site topology of the acetylcholine receptor: *correspondence* **606**
Thoughts on the channel size of the motor endplate acetylcholine receptor: *correspondence* **309**
neuromuscular block, rapacuronium, Rapacuronium: why did it fail as a replacement for succinylcholine?: *editorial II* **163**
neuromuscular block, rocuronium, Anaphylaxis to rocuronium **600**
Assessment of liver function: its application to outcome from liver transplantation: *editorial II* **757**
Rocuronium plasma concentrations during three phases of liver transplantation: relationship with early postoperative graft liver function **764**
neuromuscular block, structure-activity relationship, Receptive site topology of the acetylcholine receptor: *correspondence* **606**
Thoughts on the channel size of the motor endplate acetylcholine receptor: *correspondence* **309**
neuromuscular block, succinylcholine, Rapacuronium: why did it fail as a replacement for succinylcholine?: *editorial II* **163**
neuromuscular relaxants, mivacurium, Phonomyography of the corrugator supercilii muscle: signal characteristics, best recording site and comparison with acceleromyography **389**

operating rooms, mobile, Mobile operating theatre in a district general hospital: *correspondence* **458**
oxygen, free radical activity, Effects of high inspired oxygen fraction during elective Caesarean section under spinal anaesthesia on maternal and fetal oxygenation and lipid peroxidation **18**
Oxygen and elective Caesarean section: *editorial II* **4**
oxygen, partial pressure, Variation of venous admixture, SF_6 shunt, Pa_{O_2}, and the Pa_{O_2}/FI_{O_2} ratio with FI_{O_2} **771**
oxygen, supplement, Effects of high inspired oxygen fraction during elective Caesarean section under spinal anaesthesia on maternal and fetal oxygenation and lipid peroxidation **18**
Oxygen and elective Caesarean section: *editorial II* **4**

pain, Antinociceptive role of 5-HT_{1A} receptors in rat spinal cord **679**
pain, Gate Control Theory of Pain stands the test of time: *editorial I* **755**
pain, chronic, Efficacy of transcutaneous spinal electroanalgesia in patients with chronic neck pain: *abstract* **328P**
pain, evaluation, Is an electronic data collecting device a valid method for assessing postoperative pain in an ambulatory surgery setting?: *abstract* **328P**
pain, management, Concurrent ketamine and alfentanil administration: pharmacokinetic considerations, **94**
pain, postoperative, Comparative effect of paracetamol, NSAIDs or their combination in postoperative pain management: a qualitative review **199**
Effect of timing of morphine administration during remifentanil-based anaesthesia on early recovery from anaesthesia and postoperative pain **814**
Pain relief after thoracotomy: *correspondence* **880**
Postoperative wound tissue oxygen tension with epidural or intravenous analgesia: *abstract* **318P**
Pre-emptive effect of epidural sufentanil in abdominal hysterectomy **803**
Rectal and parenteral paracetamol, and paracetamol in combination with NSAIDs, for postoperative analgesia **215**
pain, threshold, Pre-emptive effect of epidural sufentanil in abdominal hysterectomy **803**
parasympathetic nervous system, Non-invasive assessment of cardiovascular autonomic activity induced by brief exposure to 50% nitrous oxide in children **637**
pharmacokinetics, dexmedetomidine, Pharmacokinetics of dexmedetomidine infusions for sedation of postoperative patients requiring intensive care **669**
pharmacokinetics, models, Model-based administration of inhalation anaesthesia. 3. Validating the system model **24**
Model-based administration of inhalation anaesthesia. 4. Applying the system model **175**
pharmacokinetics, propofol, Propofol metabolites in man following propofol induction and maintenance **653**
pharmacokinetics, rocuronium, Assessment of liver function: its application to outcome from liver transplantation: *editorial II* **757**
Rocuronium plasma concentrations during three phases of liver transplantation: relationship with early postoperative graft liver function **764**
pharmacokinetics, solubility, Predictive performance of a physiological model for enflurane closed-circuit anaesthesia: effects of continuous cardiac output measurements and age-related solubility data **38**
pharmacokinetics, tissue uptake, Concurrent ketamine and alfentanil administration: pharmacokinetic considerations, **94**
pharmacokinetics, uptake, Predictive performance of a physiological model for enflurane closed-circuit anaesthesia: effects of continuous cardiac output measurements and age-related solubility data **38**
pharmacokinetics, xenon, Is xenon uptake in animals higher than reported previously?: *correspondence* **452**
pharmacology, chiral drugs, Chirality: a blueprint for the future **563**
pharmacology, enantiomer, Chirality: a blueprint for the future **563**
pharmacology, magnesium sulphate, Management of life-threatening autonomic hyper-reflexia using magnesium sulphate in a patient with a high spinal cord injury in the intensive care unit **434**
pharmacology, neuromuscular, Thoughts on the channel size of the motor endplate acetylcholine receptor: *correspondence* **309**
pharmacology, nitric oxide, Effect of different pulses of nitric oxide on venous admixture in the anaesthetized horse **394**
Role of nitric oxide and cyclooxygenase pathways in the coronary vascular effects of halothane, isoflurane and desflurane in red blood cell-perfused isolated rabbit hearts **399**
pharmacology, nitroglycerin, Can a clinically useful aortic pressure wave be derived from a radial pressure wave? **481**
pharmacology, phosphodiesterase III inhibitor, olprinone, Inhaled olprinone improves contractility of fatigued canine diaphragm **408**
pig, Dopexamine attenuates microvascular perfusion injury of the small bowel in pigs induced by extracorporeal circulation **841**
Is xenon uptake in animals higher than reported previously?: *correspondence* **452**
Left ventricular preload and function during graded haemorrhage and retransfusion in pigs: analysis of arterial pressure waveform and correlation with echocardiography **716**
polypeptides, cytokines, Differential modulation of interleukin-6 and interleukin-10 by diclofenac in patients undergoing major surgery **797**
Role of the kidney in perioperative inflammatory responses: *editorial II* **330**
polypeptides, cytokines, tumour necrosis factor, Membrane-bound TNFα: a biologically relevant cytokine?: *abstract* **323P**
polypeptides, interleukin, Differential modulation of interleukin-6 and interleukin-10 by diclofenac in patients undergoing major surgery **797**
polypeptides, interleukin-6, Effect of perioperative administration of dexketoprofen on opioid requirements and inflammatory response following elective hip arthroplasty **520**
position, sitting, Tapia's syndrome following shoulder surgery **869**
The sitting position for neurosurgery in children: a review of 16 years' experience **12**
The sitting position in neurosurgery—not yet obsolete!: *editorial I* **1**
postanaesthesia care, The postanaesthesia care unit as a temporary admission location due to intensive care and ward overflow **577**
postanaesthesia care, audit, 'Ventilating in recovery'—the way forward: intensive therapy or postoperative critical care?: *editorial III* **473**
The postanaesthesia care unit as a temporary admission location due to intensive care and ward overflow **577**
pregnancy, Primary pulmonary hypertension in pregnancy: *correspondence* **151**
Unnecessary Caesarean section due to silent CTG: *correspondence* **611**
protein, cytokine, Dexamethasone decreases the pro- to anti-inflammatory cytokine ratio during cardiac surgery **496**
protein, P-glycoprotein, Morphine glucuronides inhibit $DiOC_2$ excretion from human lymphocytes: *abstract* **322P**
publications, The British Journal of Anaesthesia. An informal history of the first 25 years **445**

radiotherapy, pelvic brachytherapy, Analgesia for pelvic brachytherapy **270**

rat, Antinociceptive role of 5-HT_{1A} receptors in rat spinal cord **679**
Cardioprotection by sevoflurane against reperfusion injury after cardioplegic arrest in the rat is independent of three types of cardioplegia **828**
Concurrent ketamine and alfentanil administration: pharmacokinetic considerations. **94**
Effects of propofol on lactate accumulation and oedema formation in focal cerebral ischaemia in hyperglycaemic rats **412**
receptors, adrenergic, Dopexamine attenuates microvascular perfusion injury of the small bowel in pigs induced by extracorporeal circulation **841**
receptors, amino acid, Potentiation by ketamine of fentanyl antinociception. 1. An experimental study in rats showing that ketamine administered by non-spinal routes targets spinal cord antinociceptive systems **685**
receptors, beta-adrenergic, Modulation of β-adrenergic receptor subtype activities in perioperative medicine: mechanisms and sites of action **101**
receptors, $GABA_A$, Investigating the molecular determinants of anaesthetic interaction with $\beta_1\beta_3\beta_2$ subunit containing $GABA_A$ receptors: *abstract* **324P**
receptors, ryanodine, Malignant hyperthermia associated with exercise-induced rhabdomyolysis or congenital abnormalities and a novel *RYR1* mutation in New Zealand and Australian pedigrees **508**
records, anaesthesia, Anaesthesia and the Internet: *editorial III* **334**
records, medical, Improvement of information gained from the pre-anaesthetic visit through a quality-assurance programme **280**
recovery, Evaluation of postural stability after low-dose droperidol in outpatients undergoing gynaecological dilation and curettage procedure **819**
Is postoperative recovery related to preanaesthetic anxiety?: *abstract* **324P**
Propofol, sevoflurane and isoflurane: a comparison of early post-operative recovery in adult day-case anaesthesia: *abstract* **325P**
recovery, postoperative, Outcome measures: *correspondence* **306**
reflexes, baroreceptor, Non-invasive assessment of cardiovascular autonomic activity induced by brief exposure to 50% nitrous oxide in children **637**
research, anaesthesia, Anaesthesia and the Internet: *editorial III* **334**
respiratory tract, cilia, The effect of tetrodotoxin on the cilia beat frequency of human inferior turbinate tissue: *abstract* **316P**
risk, Informed consent for regional anaesthesia: *correspondence* **307**
risk, management, Improvement of information gained from the pre-anaesthetic visit through a quality-assurance programme **280**

scoliosis, Unsuspected concentric tracheal rings in a 14-year-old with scoliosis **732**
sedation, Sedative and analgesic practice in the intensive care unit: *correspondence* **304**
sensory block, Antinociceptive role of 5-HT_{1A} receptors in rat spinal cord **679**
serotonin (5-hydroxtryptamine), Antinociceptive role of 5-HT_{1A} receptors in rat spinal cord **679**
spinal cord, Antinociceptive role of 5-HT_{1A} receptors in rat spinal cord **679**
spinal cord, evoked potentials, Comparison of the effects of sevoflurane and propofol on cortical somatosensory evoked potentials **785**
spinal cord, sensory block, Potentiation by ketamine of fentanyl antinociception. 1. An experimental study in rats showing that ketamine administered by non-spinal routes targets spinal cord antinociceptive systems **685**
statistics, data analysis, Extreme value theory applied to postoperative breathing patterns **61**
statistics, extreme value theory, Extreme value theory applied to postoperative breathing patterns **61**
statistics, risk score, Comparison of predictive models for postoperative nausea and vomiting **234**
stress, Pre-emptive effect of epidural sufentanil in abdominal hysterectomy **803**
structure, molecular conformation-activity relationship, Molecular conformation-activity relationship of decamethonium congeners **692**
structure, molecular similarity, Can molecular similarity-activity models for intravenous general anaesthetics help explain their mechanism of action? **166**
structure, molecular structure-activity relationship, Molecular conformation-activity relationship of decamethonium congeners **692**
surgery, Comparison of the effects of sevoflurane and propofol on cortical somatosensory evoked potentials **785**
surgery, ambulatory, Postoperative sore throat after ambulatory surgery **582**
surgery, aneurysm, Cardiac arrest after administration of Omnipaque radiocontrast medium during endoluminal repair of abdominal aortic aneurysm **133**
Detection of intra-operative allergic reactions: does the anaesthetic technique play a role?: *correspondence* **879**
surgery, bronchoscopy, Management of life-threatening haemoptysis **291**
surgery, cardiopulmonary bypass, Mathematical modelling of oxygen balance defines theoretical hypoperfusion limits for cardiopulmonary bypass: *abstract* **315P**
surgery, cardiovascular, Glucose, insulin and potassium for heart protection during cardiac surgery **489**
Oesophagotracheal perforation after intraoperative transoesphageal echocardiography in cardiac surgery **592**
surgery, carotid endarterectomy, Blood pressure manipulation during loco-regional anaesthetic carotid surgery: *correspondence* **303**
surgery, day-case, A prospective patient-specific cost analysis of alternative anaesthetic regimens in adult day-case surgery: *abstract* **321P**
Mobile operating theatre in a district general hospital: *correspondence* **458**
Propofol, sevoflurane and isoflurane: a comparison of early post-operative recovery in adult day-case anaesthesia: *abstract* **325P**
surgery, day-case, paediatric, A prospective patient-specific cost analysis of propofol and halothane *vs* sevoflurane in paediatric day-case surgery: *abstract* **322P**
surgery, femoral fracture, Duration of hospital stay and perioperative morbidity in patients with hip fractures: *correspondence* **742**
Randomized controlled trial to investigate influence of the fluid challenge on duration of hospital stay and perioperative morbidity in patients with hip fractures **65**
surgery, gynaecological, Evaluation of postural stability after low-dose droperidol in outpatients undergoing gynaecological dilation and curettage procedure **819**
Oxygen embolism after hydrogen peroxide irrigation of a vulvar abscess **597**
Pre-emptive effect of epidural sufentanil in abdominal hysterectomy **803**
surgery, haemostatic response, Is there a bleeding problem with platelet-active drugs?: *editorial I* **159**
surgery, laparoscopy, ProSeal *versus* the Classic laryngeal mask airway for positive pressure ventilation during laparoscopic cholecystectomy **824**
surgery, laser, Tracheostomy, lingular tonsillectomy, and sleep-related breathing disorders **724**
Transtracheal high frequency jet ventilation for endolaryngeal surgery: *correspondence* **609**
surgery, lung resection, An examination of the association between predicted postoperative FEV_1 and cardiac and respiratory complications in patients undergoing pneumonectomy: *abstract* **314P**
surgery, neurological, The sitting position for neurosurgery in children: a review of 16 years' experience **12**
The sitting position in neurosurgery—not yet obsolete!: *editorial I* **1**
surgery, ophthalmological, Anaesthesia for cataract surgery: *correspondence* **613**
Comparison of articaine and bupivacaine/lidocaine for peribulbar anaesthesia by inferotemporal injection **676**
Deep topical fornix nerve block *versus* peribulbar block in one-step adjustable-suture horizontal strabismus surgery **129**
The use of articaine in peribulbar blocks: *correspondence* **881**
surgery, orthopaedic, Effect of perioperative administration of dexketoprofen on opioid requirements and inflammatory response following elective hip arthroplasty **520**
Tapia's syndrome following shoulder surgery **869**
surgery, otolaryngological, Double-blind, placebo-controlled analgesic study of ibuprofen or rofecoxib in combination with paracetamol for tonsillectomy in children **72**
Is it safe to artificially ventilate a paralysed patient through a laryngeal mask?: *correspondence* **308**

Tracheostomy, lingular tonsillectomy, and sleep-related breathing disorders **724**

surgery, paediatric, Double-blind, placebo-controlled analgesic study of ibuprofen or rofecoxib in combination with paracetamol for tonsillectomy in children **72**

surgery, preanaesthetic anxiety, Is postoperative recovery related to preanaesthetic anxiety?: *abstract* **324P**

surgery, preoperative period, Improvement of information gained from the pre-anaesthetic visit through a quality-assurance programme **280**

surgery, spinal, Effect of sevoflurane/nitrous oxide *versus* propofol anaesthesia on somatosensory evoked potential monitoring of the spinal cord during surgery to correct scoliosis **502**

Unsuspected concentric tracheal rings in a 14-year-old with scoliosis **732**

surgery, thoracotomy, In defence of paravertebral blockade: *correspondence* **743**

Pain relief after thoracotomy: *correspondence* **880**

sympathetic nervous system, Non-invasive assessment of cardiovascular autonomic activity induced by brief exposure to 50% nitrous oxide in children **637**

sympathetic nervous system, α_2-adrenergic agonists, Comparison of caudal and intravenous clonidine in the prevention of agitation after sevoflurane in children **790**

sympathetic nervous system, adrenergic block, Modulation of β-adrenergic receptor subtype activities in perioperative medicine: mechanisms and sites of action **101**

sympathetic nervous system, alpha-2 adrenoceptor agonist, Pharmacokinetics of dexmedetomidine infusions for sedation of postoperative patients requiring intensive care **669**

sympathetic nervous system, dexmedetomidine, Dexmedetomidine may be effective, but is it safe?: *correspondence* **454**

sympathetic nervous system, phenylephrine, Intraoperative pulmonary oedema in a child following systemic absorption of phenylephrine eyedrops **440**

theories of anaesthesia, Gate Control Theory of Pain stands the test of time: *editorial I* **755**

theories of anaesthetic action, cellular mechanisms, Can molecular similarity-activity models for intravenous general anaesthetics help explain their mechanism of action? **166**

veins, vena cava inferior occlusion, Cardiovascular effects of simultaneous occlusion of the inferior vena cava and aorta in patients treated with hypoxic abdominal perfusion for chemotherapy **193**

veins, venous pressure, Variation of venous admixture, SF_6 shunt, Pa_{O_2}, and the Pa_{O_2}/FI_{O_2} ratio with FI_{O_2} **771**

ventilation, A prospective study of the quality of pre-hospital emergency ventilation in patients with severe head injury **345**

ventilation, artificial, Is it safe to artificially ventilate paralysed patients through a laryngeal mask?: *correspondence* **149**

ventilation, diaphragm, fatigue, Inhaled olprinone improves contractility of fatigued canine diaphragm **408**

ventilation, high frequency jet, Transtracheal high frequency jet ventilation for endolaryngeal surgery: *correspondence* **609**

ventilation, high frequency, Comparison of methods of administration of high frequency jet ventilation in a model of laryngotracheal stenosis: *abstract* **314P**

High-frequency oscillation in adolescents **708**

Transtracheal high frequency jet ventilation for endolaryngeal surgery: *correspondence* **609**

ventilation, intrinsic positive end-expiratory pressure, Intrinsic positive end-expiratory pressure during one-lung ventilation of patients with pulmonary hyperinflation. Influence of low respiratory rate with unchanged minute volume **56**

ventilation, mechanical, Positive pressure ventilation during fibreoptic intubation: comparison of the laryngeal mask airway, intubating laryngeal mask and endoscopy mask techniques **246**

Pulse oximetry, carbon monoxide and protective ventilatory strategies in severe ARDS: *correspondence* **309**

ventilation, one-lung ventilation, Intrinsic positive end-expiratory pressure during one-lung ventilation of patients with pulmonary hyperinflation. Influence of low respiratory rate with unchanged minute volume **56**

ventilation, positive end-expiratory pressure, ProSeal *versus* the Classic laryngeal mask airway for positive pressure ventilation during laparoscopic cholecystectomy **824**

ventilation, positive pressure, Reliability of epigastric auscultation to detect gastric insufflation **127**

ventilation, respiratory mechanics, Increased airway resistance during xenon anaesthesia in pigs is attributed to physical properties of the gas **540**

ventilation, surgical stimulus, Respiratory response to skin incision during anaesthesia with infusions of propofol and alfentanil **649**

video review, *Anaesthetic Procedures*|*Carotid Endarterectomy* **461**

vomiting, nausea, Does the opioid-sparing effect of rectal diclofenac following total abdominal hysterectomy benefit the patient? **714**

vomiting, nausea, postoperative, Comparison of predictive models for postoperative nausea and vomiting **234**

Volatile anaesthetics may be the main cause of early but not delayed postoperative vomiting: a randomized controlled trial of factorial design **659**